

RECENT UPDATES ON ENERGY PLANNING MODELS – A REVIEW

Muhammad HAFEEZ^{1*}, Allah Bakhsh GULSHAN², Fatima TAHIRA³

^{1*} Department of Agricultural Engineering, Faculty of Agricultural sciences and Technology, Bahauddin Zakariya University, Multan, Pakistan, e-mail: mh9589041@gmail.com

² Department of Botany, Ghazi University, Dera Ghazi Khan, Pakistan

³ Department of Mathematics, ISP, Multan, Pakistan

(Received 6 August 2020, Accepted 26 August 2020)

Abstract: Energy is the most important part for community and financial growth of any country. Energy planning models play a vital role in strategy formulation and power sector progress. In this paper a systematic review and comparison of energy planning models developed and applied from 1977-2019 has been presented. The review indicates that most of the energy planning models has been presented and applied in developed nations. Only few numbers of energy planning models have been presented and applied in under developing countries. The review also shows the comparison of energy planning models applied in developed and under-developed countries. This review article will assistance the energy managers, scholars and strategy makers broadly.

Keywords: energy models, simulation, optimization, renewable energy

1. INTRODUCTION

It is very important to design energy as it is a crucial component for the progress of a nation. Appropriate planning is essential at the global and national level to manage energy requirement and consumption [1]. Energy security is a socio-economic and political aspect that promotes sustainable development (SD) in any country [2]. Recently, various contests have appeared in public such as variations in climate, security of energy consumption and requirement supply and financial decline. So, energy sector, particularly renewable energy is being managed to compete energy concerns. It is very important to build energy systems based on renewable energy. The renewable energy system can overcome pollution and improve the economy of a country [3]. Energy planning models support to forecast the effects and to evaluate the implications of energy strategy [4]. Various energy planning models have been established and used in various countries. Application of specific energy model depends on input and output data parameters, procedure and skills requirement. Some energy planning models are technically obvious and needed a large number of parameters, most of these are not freely accessible in developing nations.

The skills and software requirements for some energy planning models are too difficult for establishing and running of models. Mostly, energy planning models have been established in developed states to evaluate a particular matter. A very few number of energy planning models have been used in developing countries [5]. Though many reviews have been done in previous studies, comprising [6-18], but a comparative, state of the art study is hardly found in research. The objectives to conduct this review are (i) to give a comprehensive, state of the art and systematic review of energy planning models applied in developed and under-developed countries from 1977-2019 (ii) comparison of energy planning models presented in developed and under-developed countries of the world.

2. REVIEW OF LITERATURE

There are many revisions on energy planning models have been done in literature. Studies conducted in many countries including [19-41] confirm the importance of applications of energy planning models for the formulation of energy policy selections at various stages. Huge number of

researchers have done the research to develop the integrated energy planning models. A systematic and comprehensive review of energy planning models has been introduced in this review paper.

Landsberg [42] suggested a simple energy planning model for economic viability of solar energy transformation. Marchetti [43] established an artificial energy model for energy conversation. In 1977, Stern [44] developed a quasi-equilibrium power planning model to ensure the supply of exhaustible assets for crude oil utilization.

Smith [45] presented an optimization energy planning model for the requirement and consumption of energy in New Zealand. Riaz [46] suggested an approach for optimization of energy for industrial areas. Borg [47] presented an energy planning monopolist model for natural gas in USA for the period 1960–1966. Ambrosone et al. [48] established an energy planning model to manage the thermal power. Fawkes [49] developed an energy planning model for the management of energy by using soft system method. Hammarsten [50] presented review about various energy signature optimization models. Hsu et al. [51] established an energy optimization model by applying multi-objective programming techniques associated with input–output energy model. Rahman [52] planned an energy economic simulation model for energy economy policy. Natarajan [53] used an energy model for long-term forecasting of energy. Capros et al. [54] discussed the short/medium term of energy–economic by linking system of energy models. Baker and Finizza [55] reviewed the energy economic models and their applications for business strategy. Kaya [56] conducted a research on energy model credibility in Japan. Reister [57] presented numerous engineering approaches for the development of energy models for demand forecasting. Cai et al. [58] gave an energy planning model for community RES planning. Shi and Lu [59] presented a standard PILOT macro-economic energy model for china. Weyant [60] presented a review for energy policy modeling. Walter and Weyant [61] discussed the integrated energy modeling theory. Boyd et al. [62] illustrated a NAPAP Integrated Energy Model. Alam et al. [63] developed an energy planning model for integration of Bangladesh's rural energy systems. Werbos [64] compared the econometric models applied in energy planning modeling and engineering. Labys and Asano [65] discussed the process energy models for industrial applications. Poch and Jenkins [66] discussed the application of energy planning models by dynamic programming. Psarras et al. [67] introduced multi-objective programming techniques in large scale energy planning model. Labys et al. [68] studied numerous special energy planning models. Oliver [69] discussed the relationship between computer and mental energy planning models. Belyaev [70] applied

pay-off matrix technique for the energy planning. Bowe et al. [71] presented the application of MARKOV energy planning model. Loagn [72] discussed the decision analysis techniques in energy economic modeling. Zeng et al. [73] applied multi-criteria evaluation procedure to explain the development of new energy planning system in Taiwan. Calderan et al. [74] suggested an energy planning model for food industry application. Joshi et al. [75] established linear energy optimization energy model for town application in India. Mohanty and Panda [76] introduced a computer based programming model to optimize energy system in industrial area. Mackay and Probert [77] argued the upcoming difficulties of oil related industry.

Nilsson and Soderstrom [78] proposed an energy planning model for optimization of electricity requirement in industry sector. Sinha [79] introduced a combined energy model for optimization of economic policy. Malik et al. [80] developed an energy planning model for India. Johnson [81] reviewed theories associated with energy management. Zaheer and Zheng [82] gave an energy planning model which is applied to simulate different energy economy and management functions. Kydes et al. [83] argued the current development in long term energy planning. Ramanathan and Ganesh [84] presented an AHP model to address the energy and environmental related systems. Huang et al. [85] directed a comparative review on decision making models in energy planning. Räsänen et al. [86] used Daily consumption pattern energy models to study the rate effects. Rodriguez and Vargas [87] developed a new model for the analysis of energy sector reforms. Spinney and Watkins [88] presented the application Monte-Carlo optimization procedures for integrated resource planning (IRP). Kumar et al. [89] studied the financial viability analysis of solar cookers by using cost functions. Thomas [90] conducted a review for the advantages and requirements for the transformation of renewable energy and technology development. Khemiri and Cenaffif [91] presented models for energy utilization and conservation. Sing et al. [92] established energy model by applying MOP procedure. Malik and Satsangi [93] conducted a study to review the energy related difficulties at various stages. Boonekamp [94] established a bottom–up simulation model to argue the application of energy in household. Neubauer et al. [95] gave an energy planning model for electric applications. Alam et al. [96] established a model for energy strategy to apply for electricity consumption. Martins et al. [97] proposed a method for energy management. Akisawa et al. [98] presented two energy models for optimization of power in Japan. Scott et al. [99] related a stochastic simulation model to integrated Mini CAM 1.0 model for energy development. Shrestha and Marpaung [100] developed an integrated model for long term energy planning. Sorensen and Meibom [101] developed

a model for apply to different energy planning scenarios.

Tessmer et al. [102] developed TESOM model for the optimization of energy systems. Kavrakoğlu [103] presented an energy planning model at national scale. Samouilidis et al. [104] presented many approaches based on linear optimization models. Musgrove [105] applied MARKAL model for Australian energy planning system. Macal et al. [106] developed an integrated model for supply and demand for Illinois State. Hsu et al. [107] linked Leontief input output model with MOP model to develop a new model. Wene and Rydén [108] proposed a model for the management of community- based power systems. Harhammer and Infanger [109] established a DSS planning model for decision making in multiple scales of energy planning systems. Kahane [110] conducted a comprehensive review on optimization models for the management of different power Systems. Suganthi and Jagadeesan [111] developed MPEEE energy model. Tiris et al. [112] proposed linear optimization and multi-attribute models for long-term energy economy in Turkey. Arivalagan et al. [113] established a MILP energy model for the optimization of energy for industry. Schoenau et al. [114] developed an energy planning model for small scale power planning systems. Edmonds et al. [115] presented a Second Generation Model that is an energy planning model based on general equilibrium and used for energy economy. Lehtilä and Pirilä [116] developed an energy planning model for energy utilization and sustainable development. Martins et al. [117] proposed an energy model for electricity demand and supply management. Özelkan et al. [118] developed a model in order to optimize the hydroelectric electricity generation. Henning [119] developed an energy planning model called as MODEST model to reduce the initial and operational expenditures of energy requirement and supply. Heyen and Kalitventzeff [120] presented an energy optimization model to increase energy application efficiencies. Bojic and Stojanovic [121] developed MILP energy model for the optimization of heat and electricity generating policies in an industry. Farag et al. [122] developed various techniques for optimum energy strategies. Peippo et al. [123] adopted an optimization numerical multivariate model for the energy optimization. Gopalakrishnan et al. [124] developed an energy optimization model for the management of stand-alone power systems. Santos and Dourado [125] proposed an optimization method for the solution of power problems. Messener et al. [126] developed link between MESSAGE and MACRO energy planning models to evaluate the effect of energy supply expenses. Nagel [127] proposed a MILP energy model to define the economic policy. Bruhns et al. [128] argued a database

technique for power planning modeling. Hektor [129] proposed various energy planning models to apply for bioenergy. Bojic [130] developed a network of energy module based on dynamic programming procedure for the optimization of energy system. Many researchers including [131-140] applied MARKAL energy model for large scale energy planning. The EFOM energy model was used in different states including [141-148]. There are also other energy planning models including LEAP, New Earth 21 and National Energy Modeling Systems which have been established and applied in many countries including [149-156]. The MARKAL energy model was applied in many states and regions for sustainable development including [157-186]. Dalton et al. [187-189] used an energy optimization modeling systems to investigate the practical and economic feasibility of grid. Park et al. [190] established genetic Algorithm method to resolve the generation expansion planning problem. Suganthi and Williams [191] proposed an energy planning model to determine optimal allocation of renewable energies. Rozakis et al. [192] presented a MILP energy model to calculate the supply of energy from crops. Sun [193] established an output-energy model. Yokoyama and Ito [194] formulated an energy optimization model for the design of power systems. Frei et al. [195] developed an efficient bottom up and top down emerging model. Beccali et al. [196] proposed multi-criteria decision-making method for the optimization of renewable energy technologies at local scale. Cormio et al. [197] used BESOM model to recognize maximum mixing configurations of renewable energy resources. Iniyan and Sumathy [198] presented an OREM energy model for the planning of renewable energy resources in India. Zhidong [199] proposed an econometric energy model. QUEST model can be applied for short to long-term energy planning [200]. Antunes et al. [201] presented a MO-MILP model. Huber et al. [202] developed an energy model ElGreen which is applied for the simulation of numerous energy strategies and various renewable energy technologies. Agoris et al. [203] applied MARKAL and WASP-IV energy models. Kong et al. [204] presented a model to solve the problems associated with power planning. Nakata et al. [205] established an optimization energy models for the green electricity of rural areas of Japan.

Kranzl et al. [206] applied Invert system to achieve efficient sustainable energy systems. Tsioliariidou et al. [207] presented an energy simulation model to check the performance of various power systems Caselles et al. [208] developed a Dynamic Energy Simulation Model to check the effects of political, technical and economic variables on decision maker. Teri [209] applied a MARKAL energy model for Spanish energy sector. Cicek et al. [210] presented different policies to optimize bio

energy production. Huang et al. [211] proposed energy planning procedures for sustainable development in Canada. Dagoumas et al. [212] proposed GTAP-E energy model to solve the global economic policy issues. Sirikum et al. [213] established a MINLP energy planning model to solve the GEP problems. Hawkes and Leach [214] discussed three micro-CHP energy technologies for the cost effective policies. Nguyen [215] inspected the economic effects of electricity production in Vietnam. Schulz et al. [216] applied MARKAL energy model for the assessment of methanation plant in Swiss. Endo [217] applied Markal energy model to evaluate the performance of fuel cells vehicles in Japan. Chang [218] employed MULTEEE model to investigate the maximum power energy mix judgment in Taiwan. Meza et al. [219] proposed MOLP energy model for long term GEP. Kannan et al. [220] applied MARKAL energy for the UK energy systems. Song et al. [221] applied LEAP model for the assessment of environmental and economic policies of South Korea. Pokharel [222] established econometric models for renewable energy situation in Nepal. Klaassen and Riahi [223] applied combination of MESSAGE energy model, bottom-up LP energy model and MACRO energy model to discuss the impacts of external expenses of power generation. Swider and Weber [224] used a Single-node energy model for power production in Germany. Zouliasand and Lymberopoulos [225] applied HOMER to optimize renewable energy technologies. Ostadi et al. [226] used a model for recognizing optimum power consumption arrangements in manufacturing factory. Beck et al. [227] developed an optimization technique for optimal planning of energy. Papagiannis et al. [228] employed LEAP2006 energy model in different European countries for energy planning. Jiang et al. [229] applied MARKAL energy model to assess utilization of natural gas in china. Mavrotas et al. [230] established a Building energy model for hospitals. Gan and Li [231] proposed an econometric energy model for Malaysia's economic policy and energy planning up to 2030. Du Can et al. [232] applied Leap model to estimate the energy consumption in households, industrial sectors, commercial and transport sectors worldwide. Melton [233] developed a hybrid energy-economy technique to mitigate the climate change in Africa, Middle East and Latin America. Blanco et al. [234] established a DSS energy model for micro-hydroelectricity plants. Frombo et al. [235] presented EDSS for energy planning of forestry biomass application. Khakbazan et al. [236] developed an experiment in Brandon, Manitoba for checking the influences of fertilizer organization on energy inputs and GHG emissions. Popescu et al. [237] proposed a simulation and forecast energy model for the consumption heat in buildings. Parikh and Ghosh [238] developed an

energy model to model the national economic policy. Daniel et al. [239] developed a method for power system planning India. Drouet and Thénicié [240] developed an ETEM Model to evaluate the policies for SD. Bujak [241] developed a model to find optimum energy consumption. Sharma and Bhattacharya [242] established LP energy model for long term generation expansion planning problems. Andreassi et al. [243] proposed an energy optimization model for the economics of electricity delivery arrangements. The HOMER model is applied for the design of hybrid systems by [244]. Lagorse et al. [245] presented multi agent approach for energy planning. An energy optimization model was developed by [246] for small scale power generation systems. Ehsani et al. [247] presented a MILP model for power production. Morais et al. [248] developed a MILP model for optimization of electricity production technologies. Dementjeva and Siirde [249] used Leap energy model to optimize the energy sector in Estonia. Dagoumas and Barker [250] applied macro-econometric E3MG energy model for low-carbon economic policy for UK. Anandarajah and Strachan [251] used the MARKAL energy model to develop the policies for UK. Jaehnert and Doorman [252] coupled market energy model EMPS with IRIE energy model to formulate the energy policies. Park et al. [253] applied SD energy model and Leap energy model to evaluate CO₂ declination in the Korean petroleum oil purifying industry. Connolly et al. [254] comprehensively reviewed 37 energy models to classify appropriate energy planning model. Mizraesmaeeli et al. [255] presented MILP model for generation expansion planning. Muis et al. [256] proposed MILP model generation expansion planning at domestic level. Unsihuay-Vila et al. [257] established MILP energy model for long-term energy planning. Mejia et al. [258] presented a linear optimisation model for generation expansion planning. Zakerinia and Torabi [259] proposed a MO energy model for generation expansion planning problems. Tekiner et al. [260] developed a MO model for generation expansion planning. Banos et al. [261] conducted a review of energy optimization approaches used in energy planning and problems for sustainable energy development.

Zhou et al. [262] investigated the effects of various energy policies for renewable energy management. Dagher and Ruble [263] used LEAP energy model for Lebanon's power sector. Connolly et al. [264] applied Energy PLAN model to evaluate how Ireland's power system might be 100% renewable. Føyn et al. [265] used ETSAP/TIAM energy model to inspect the development of a worldwide renewable energy systems. Davies and Simonovic [266] introduced an integrated ANEMI model for various water manage policies. Han and Lee [267] applied MILP model for Generation Expansion Planning. Pereira et al. [268] developed MO-MINLP model for Generation

expansion planning. Markovic et al. [269] categorized thirteen computer approaches according to various planning strategies. Huang et al. [270] used LEAP energy model for an economic outlook for Taiwan up to 2030. Manfren et al. [271] presented a comprehensive review on generation system. Shammakh [272] established a MINLP model for the reduction of total energy system budget. Kannan [273] applied the Markal energy model for electricity demand and sustainable energy sources. Careri et al. [274] planned MINLP model for generation expansion planning. Unsihuay-Vila et al. [275] established MO model for generation expansion planning. Karali [276] proposed HERMES energy model for energy planning. Choi and Thomas [277] established MILP model for Generation expansion planning. Han et al. [278] proposed MO-MILP model for optimization of electricity systems. Sharan et al. [279] recommended MILP model for generation expansion planning of electricity systems. Daioglou et al. [280] developed an energy simulation model for household's application. Stoyan and Dessouky [281] used MIP model to improve energy systems. Rentizelas et al. [282] developed LP model for long term planning of energy. Mejia et al. [283] established LP model for the optimum GEP. Bakirtzis et al. [284] developed MILP model for the possible results of the centralized generation expansion planning problems. Mardan and Klahr [285] combined DES and ESO models for a non-existing systems. Sarica et al. [286] applied an energy optimization method to explore dynamics of theoretically optimized energy sector. Bautista [287] applied the Leap energy model to analyze current and upcoming energy situation in Venezuela. Weijde and Hobbs [288] used a model to define the multilevel nature of energy transmission. Promjiraprawat and Limmeechokchai [289] applied a based scenario analysis method to evaluate Thailand's renewable energy policies. Comodi et al. [290] used TIMES energy model to assess local renewable energy policies for the town of Pesaro. Devogelaer et al. [291] applied TIMES energy framework for the Belgian renewable energy systems to recognize and discover pathways for 100% renewable energy achievement. Bauer et al. [292] developed REMID-R model for energy management. Amer et al. [293] mentioned that scenario energy planning stimulates tactical thinking. Hunter et al. [294] presented TEMOA energy planning framework for conducting energy systems analysis. Zhang et al. [295] applied a multi-period energy optimization model to estimate optimum ways electricity sector. Kannan and Turton [296] created STEM-E model originating from TIMES model for power systems. Cho et al. [297] presented a distribution algorithm that reduces overall budget of power application in buildings. Safaei et al. [298] established a model for optimization of cogeneration

and solar energy structures. Pereira and Saraiva [299] proposed a long term GEP model. Kwon et al. [300] examined the generation expansion planning problems of South Korea by using MILP model.

In Tables 1 and 2 various energy planning models has been listed. The tables show that large number of energy planning models are presented in the developed countries like USA, China, Italy, Brazil, Portugal, Canada and Greece. In under-developed countries most of the energy planning models are presented in India, Iran, Turkey, Saudi Arabia, Malaysia and Iraq.

Aliyu et al. [301] discussed present and upcoming expansion strategies in Nigeria by applying LEAP energy model. Cai et al. [302] applied LEAP energy model to simulate various electricity planning strategies in china. Pan et al. [303] used LEAP energy model for long term energy consumption and demand improvement of energy. Pan et al. [304] presented Leap energy model to evaluate the direct energy consumption in Nigeria. Matar et al. [305] established KAPSARC energy model to discussed the energy problems challenged by Saudi Arabia. Hedenus et al. [306] discussed POLES energy model for the comprehensive illustration of the worldwide energy systems. Chang and Li [307] utilized a model to find the optimum generation expansion planning of the Southeast Asian countries. Amorim et al. [308] applied TIMES model for electricity application in Portugal up to 2050. Poncelet et al. [309] utilized TIMES model to assess the effect of employing long-term models with low time-based resolution. Iqbal et al. [310] presented a comprehensive review energy optimization models for renewable energy sources. Halkos et al. [311] used Leap model to explore the national targets for energy and environmental related issues. Oscan et al. [312] coped Long term GEP of Turkey with integration of RES. By presenting an optimization energy model for African nations such as Ethiopia, [313] established other scenarios for the nation's energy demand up-to 2050. Prasad et al. [314] applied Leap energy model to discuss the prospective of biofuels in the transportation and power generation sector. Kale and Pohekar [315] utilized LEAP energy model to evaluate requirement and consumption scenarios. Poncelet et al. [316] established Island model for electricity. Aghaei et al. [317] developed an integrated model for the optimum GEP and TEP. Sinha and Chandel [318] evaluated 19 energy models for hybrid power energy systems planning. Welsch et al. [319] utilized TIMES-PLEXOS energy model for electricity. Batas and Rajaković [320] combined EnergyPLAN and GenOpt models to reduce the budgets in the domestic energy systems. Mahbub et al. [321] joined EnergyPLAN and MOEA models for energy planning. Tigas et al. [322] used multi-regional TIMES energy model to inspect the large scale saturation of RES in power sectors.

Tab. 1. Energy planning models used/presented in developed countries from 1977-2019

Sr. No	Model Name	Country	Reference no.
1	A simple energy model for solar energy economics	U.K	[42]
2	Synthetic model of primary energy replacement	Russia	[43]
3	Quasi-equilibrium model	USA	[44]
4	An LP model for supply and distribution system	New Zealand	[45]
5	A Monopolist energy model of Natural gas markets	USA	[47]
6	A dynamic energy planning model	Italy	[48]
7	Soft-system energy planning model	U.K	[49]
8	An integrated energy planning model	Taiwan	[51]
9	Oak Ridge Industrial Model (ORIM)	USA	[57]
10	NAPAP Integrated Model Set	USA	[62]
11	Application of Morkov Model	USA	[71]
12	A combined wind/hydro/diesel energy systems model	U.K	[79]
13	A VAV systems energy model for simulation of energy management	Canada	[82]
14	Daily Consumption Pattern energy models	Finland	[86]
15	Application of Monte Carlo simulation techniques	USA	[88]
16	A simulation energy model	Netherland	[94]
17	Resource Policy Screening Model (RPSM)	USA	[95]
18	Environmentally friendly energy system models	Japan	[98]
19	Modeling with MiniCAM 1.0	USA	[99]
20	Global energy systems model and power subsystem model	Greece	[104]
21	MARKAL model	Australia	[105]
22	An integrated energy planning model	USA	[106]
23	Input-Output model	Taiwan	[107]
24	An LP (Linear Programming) model	Sweden	[108]
25	Decision Support System—Operation Planning (DSS-OP)	Austria	[109]
26	validated computer simulation model	USA	[114]
27	Finnish EFOM model	Finland	[116]
28	MLP approach with demand side management (DSM)	Portugal	[117]
29	MODEST model	Sweden	[119]
30	Developed a software package KOM9	Japan	[121]
31	MESSAGE–MACRO linking	Austria	[126]
32	A mixed-integer linear optimization model	Germany	[127]
33	MARKAL model	Netherland	[131]
34	GHHAGA model	China	[133]
35	MARKAL model	USA	[134]
36	MODEST model	Sweden	[136]
37	UK MARKAL model	UK	[139]
38	MARKAL model	Netherland	[140]
39	The EFOM 12C energy supply model	Belgium	[142]
40	The MARKAL-EFOM energy model	Canada	[147]
41	LEAP model	USA	[151]
42	AEPSOM energy model	Australia	[153]
43	Dynamic New Earth21 model	Japan	[154]
44	Linear process model (MARKAL-Ontario)	Canada	[157]
45	IEA-MARKAL model	Sweden	[158]
46	Markal-Macro energy model	Switzerland	[161]
47	MARKet al.location model	Canada	[162]
48	Application of MARKAL	Sweden	[164]
49	MARKAL energy-system modeling tool	China	[167]
50	Markal model	Italy	[168]
51	R-MARKAL model	Italy	[169]
52	Markal model	China	[170]
53	Markal and CIMS models	Canada	[171]
54	Markal model	Italy	[173]
55	photochemical model (TAPOM-Lite) and technoeconomic model (MARKAL-Lite)	USA	[174]
56	Markal model	Netherland	[175]
57	Application of the IEA-MARKAL models	Italy	[176]
58	Markal model	Japan	[177]
59	Markal model	Sweden	[178]

Tab. 1. Energy planning models used/presented in developed countries from 1977-2019 – *continued*

Sr. No	Model Name	Country	Reference no.
60	Markal model	China	[179]
61	Energy system model MARKAL	Japan	[180]
62	MARKAL model	Japan	[181]
63	A linked set of three models	UK	[182]
64	MARKAL-MACRO-Italy model	Italy	[183]
65	The Global MARKAL-Model (GMM)	Switzerland	[184]
66	Energy assessment models, HOMER energy model and HYBRIDS energy model	Australia	[187]
67	HOMER	Australia	[189]
68	Bottom-up and Top-down energy planning model	Switzerland	[195]
69	Energy flow optimization model (EFOM)	Italy	[197]
70	Macroeconomic, energy and environment sub-models	China	[199]
71	European Commission's QUEST model	Belgium	[200]
72	A MILP energy model	Portugal	[201]
73	ElGreen energy planning model	Austria	[202]
74	R-MARKAL and WASP IV models	Greece	[203]
75	A simple linear programming model	China	[204]
76	Optimization model	Japan	[205]
77	Invert simulation tool, a computer model	Austria	[206]
78	Computer simulation tool INVERT	Greece	[207]
79	Dynamic simulation model	Spain	[208]
80	Fuzzy interval semi-infinite programming model	China	[211]
81	General equilibrium model (GTAP-E)	Greece	[212]
82	SWISS-MARKAL model	Switzerland	[216]
83	Energy system model based on Markal model	Japan	[217]
84	MULTEEE model	Taiwan	[218]
85	A long-term multiobjective model	Mexico	[219]
86	LEAP model	South Korea	[221]
87	MESSAGE-MACRO	Belgium	[223]
88	Application of a stochastic electricity market model	Germany	[224]
89	Mix of global optimization and agent-based models	Australia	[227]
90	LEAP2006 and WASP IV models	Greece	[228]
91	Economic optimization model MARKAL	China	[229]
92	Fuzzy programming model	Greece	[230]
93	Integrated assessment models	USA	[232]
94	Environmental decision support systems (EDSS)	Italy	[235]
95	Mixed-integer linear programming	Portugal	[248]
96	Leap model	Estonia	[249]
97	Application of a macro-econometric hybrid model E3MG	UK	[250]
98	Leap model	South Korea	[253]
99	MILP energy model	Canada	[255]
100	A long-term, multi-area and multistage energy model	Brazil	[257]
101	Bi-level optimization approach	USA	[262]
102	EnergyPLAN	Ireland	[264]
103	ETSAP-TIAM global energy system model	Denmark	[265]
104	Scalable infrastructure model	South Korea	[267]
105	Application of Leap model	Taiwan	[270]
106	Linear programming MARKAL energy system model	Switzerland	[273]
107	MESEDES model	Brazil	[275]
108	An electric power system optimization model	USA	[277]
109	A bottom up simulation model	Netherland	[280]
110	Stochastic Mixed-Integer Programming approach	USA	[281]
111	Power system planning model	Spain	[283]
112	MILP energy model	Greece	[284]
113	DES and ESO energy models	Sweden	[285]
114	A stochastic two-stage optimization model	U.K	[288]
115	Markal-TIMES	Italy	[290]
116	REMIND-R model	Germany	[292]
117	TEMOA energy model	USA	[294]
118	Swiss TIMES energy planning model	Switzerland	[296]

Tab. 1. Energy planning models used/presented in developed countries from 1977-2019 – *continued*

Sr. No	Model Name	Country	Reference no.
119	A model for energy demand	Portugal	[298]
120	A long term generation expansion model	Portugal	[299]
121	LEAP-China-Electricity model	China	[302]
122	Leap model	China	[303]
123	A TIMES energy model	Portugal	[308]
124	Leap energy model	Greece	[311]
125	An energy model (OSeMOSYS) was set up	Ireland	[319]
126	EnergyPLAN with GenOpt energy model	Serbia	[320]
127	Multi-objective energy model	Italy	[321]
128	An energy market model	Ireland	[324]
129	POLES energy model	France	[325]
130	SAMBA energy model	Brazil	[326]
131	CA-TIMES energy economic systems model	USA	[327]
132	MARKAL model	Taiwan	[332]
133	A generic model	Portugal	[335]
134	A model using mixed integer linear programming (MILP)	Belgium	[336]
135	Leap model	China	[337]
136	Bi-level integrated power system planning model	China	[339]
137	Multi-level, multi-objective optimization model	Croatia	[340]
138	ORCED energy model Version 9	USA	[341]
139	Mixed-integer bilevel optimization model	USA	[342]
140	Application of TIMES model	Norway	[347]
141	A long-term energy planning model	USA	[350]
142	MILP model	USA	[351]
143	Markal	Poland	[352]
144	MILP model	Poland	[361]
145	open-source energy modeling system (OSeMOSYS)	Germany	[364]
146	Multi-scale Renewable Energy, District Level and Regional Level Tools	USA	[365]
147	UK Times Model (UKTM)	U.K	[371]
148	POLES	France	[377]
149	A multi-objective model	Portugal	[381]
150	MILP energy model	USA	[386]
151	EPLANopt energy model	Italy	[391]
152	open source energy system model Balmorel	Denmark	[392]
153	A hierarchical MILP model	Japan	[394]
154	K-MILP model	Italy	[395]
155	REITSP model	China	[411]
156	Regional Energy Deployment System (ReEDS) model	USA	[413]
157	A dynamic energy model	China	[416]
158	A MINLP multi-objective optimization model	China	[431]
159	The classic short term energy model	China	[441]
160	A new stochastic optimization model	Canada	[442]
161	A FSDFP energy model	China	[446]
162	A multi-stage stochastic optimization (MSO) model	U.K	[450]
163	RETs based energy model	South Korea	[454]
164	An innovative multi-objective optimization energy model	Italy	[455]
165	New hard-linked, linear optimization model	Spain	[456]
166	A multi-criteria model	Canada	[457]
167	MILP energy model	Australia	[464]
168	A scenario-based robust investment planning model	China	[471]
169	A mathematical energy model	Portugal	[477]
170	Bi-Level energy model	Spain	[479]
171	A stochastic scenario-based approach	Brazil	[484]
172	MILP energy model	Brazil	[488]
173	A multistage convex distribution system planning model	Brazil	[490]
174	TEMBA energy model	Sweden	[362]
175	Stanford PILOT energy model	USA	[496]
176	WEM energy model	USA	[497]
177	TVA hydro scheduling model	USA	[498]
178	Load model	USA	[499]

Tab. 2. Energy planning models used/presented in under developed countries from 1977-2019

Sr. No	Model Name	Country	Reference no.
1	An energy sector optimization model	Pakistan	[46]
2	Huq's energy model	Bangladesh	[63]
3	A simple linear model	India	[75]
4	IESIE energy model	India	[76]
5	Mathematical energy planning model	India	[80]
6	AHP energy planning model	India	[84]
7	A multiple objective programming (MOP) model	India	[92]
8	Revisited energy model	Bangladesh	[96]
9	A modified model	India	[111]
10	A linear optimization and multi-attribute value energy planning models	Turkey	[112]
11	A linear programming energy model	India	[113]
12	An energy model for household's energy services	South Africa	[132]
13	Fuzzy linear programming approach	Iran	[148]
14	Leap Model	Tanzania	[150]
15	LEAP energy model	India	[156]
16	Indian MARKAL model	India	[163]
17	MARKAL model	India	[172]
18	MARKAL model	Vietnam	[186]
19	An optimization model	India	[191]
20	An optimal renewable energy mathematical (OREM) model	India	[198]
21	Planning production simulation model	Thailand	[213]
22	A non-linear programming model	Iran	[226]
23	A comprehensive econometric model	Malaysia	[231]
24	Simulation models	Romania	[237]
25	An energy planning optimization model	India	[239]
26	A proposed energy model for optimization of energy	Iran	[247]
27	MILP energy model	Malaysia	[256]
28	A multi objectives energy model	Iran	[259]
29	Monte-Carlo simulation	Turkey	[260]
30	LEAP energy model	Lebanon	[263]
31	A multiperiod mixed-integer nonlinear model	Saudi Arabia	[272]
32	An optimal expansion planning energy model	India	[279]
33	A simulation energy model	Turkey	[286]
34	KAPSARC energy model	Saudi Arabia	[305]
35	A dynamic linear programming model	Singapore	[307]
36	A genetic algorithm approach	Turkey	[312]
37	Leap energy model	Ethiopia	[313]
38	Leap model	India	[315]
39	A new probabilistic model	Iran	[317]
40	Pakistan's LEAP model	Pakistan	[330]
41	Leap model	Iran	[348]
42	Leap model	Iraq	[353]
43	OSeMOSYS model	Tunisia	[375]
44	A new optimization framework for power generation	Iran	[379]
45	A bi-level multi-stage TEP energy model	Iran	[382]
46	KAPSARC energy model	Saudi Arabia	[383]
47	An optimization energy model for long term planning	Iran	[397]
48	A CMOPSO optimization model	Turkey	[398]
49	Two-level stochastic micro grid planning tool	Iran	[432]
50	HGAPSO energy model	India	[436]
51	A robust optimization based approach	India	[447]
52	A capacity expansion planning model	UAE	[459]
53	A new and combined model	Iran	[472]
54	A robust model for multiyear distribution network	Iran	[481]
55	HOMER Model	Mauritania	[492]
56	A hybrid power system	Indonesia	[494]
57	A mathematical energy model	Iran	[495]




Fig. 1. Models presented in developed countries (D.C) and under developed countries (U.D.C) from 1977-1987




Fig. 2. Models presented in developed countries (D.C) and under developed countries (U.D.C) from 1988-1998




Fig. 3. Models presented in developed countries (D.C) and under developed countries (U.D.C) from 1999-2009




Fig. 4. Models presented in developed countries (D.C) and under developed countries (U.D.C) from 2010-2019

Wiernes and Moser [323] used an energy optimization model for generation expansion planning and TEP for upcoming European electric systems. Deane et al. [324] applied PLEXOS energy model to estimate the effects of integrating RE goals in domestic economic policies. Després [325] used combination of EUCAD and POLES energy models for power system optimization. Moura et al. [326] employed SAMBA energy model for South American energy planning system. The CA-TIMES optimization energy model has been used for California power System (v1.5) to know that how California can achieve the 2050 goals for GHG emissions [327]. Fitiwi et al. [328] presented a multi-node energy model for electricity. Munoz et al. [329] established a multi-node model for energy planning. Perwez and Sohail [330] used LEAP energy model to analyze alternative scenarios of energy in Pakistan. Lund et al. [331] presented a systematic review of various energy planning methods. By applying MARKAL model, Tsai and Chang [332] assessed Taiwan's greenhouse gas mitigation policies. Nowak et al. [333] established a model for evaluating the threat related to domestic RES goals. Mahumane and Mulder [334] applied LEAP energy model for energy planning. Stiphout et al. [335] proposed a model for storage and reserve requirements. Belderbos and Delarue [336] found the optimum power generation for various power technologies. Wu and Peng [337] used LEAP energy model to analyze the carbon emanations in power sectors of china. Kools et al. [338] developed a district electricity model. Zhang et al. [339] discussed the problems of RES to enhance energy application. Prebeg et al. [340] inspected the Long term energy planning for Croatian energy systems. The ORCED model was established [341]. Garcia-Herreros et al. [342] proposed a Mixed-Integer Bi-level energy optimization model for capacity planning. Wisser et al.

[343] applied ReEDS for solar energy. Buonocore et al. [344] established EPSTEIN energy model to evaluate the impacts of emissions from electricity plants on human health. Pean et al. [345] applied PLEXOS for energy optimization. Berrill et al. [346] joined REMix model with THEMIS energy model to discuss various power scenarios for Europe up to 2050. Seljom et al. [347] established TIMES energy model for short term electricity planning. By using Leap energy model, assessments of various energy strategies implications have been conducted by [348]. Rajesh et al. [349] established a Multi-Stage Mixed Integer non-linear programming model for optimum GEP of power system. Park and Baldick [350] explored fluctuations in generation mix based on environmental and power policies. Go et al. [351] utilized MILP model for integration generation, storage and transmission planning. Jaskólski [352] used MARKAL energy model for Long- term energy planning. Saeed et al. [353] applied Leap energy model for the evaluation of sustainability in renewable energy of Iraq. By using the LEAP energy model, Kumar [354] evaluated the renewable energy potential in Southeast Asian nations. Using EnergyPLAN, Dominković et al. [355] used EnergyPLAN model to achieve 100 percent renewable energy system. Merrick [356] presented Single-node electricity model. Nahmmacher et al. [357] presented LIMES-EU energy model. Ploussard et al. [358] established a multi-node energy model. Wogrin et al. [359] proposed a Single-node energy model. Santen and Anadon [360] developed a generation expansion planning model. Wierzbowski et al. [361] presented an eMix energy model to focus on power sector. Taliotis et al. [362] used TEMBA energy model in the African power supply sectors. Nnaemeka et al. [363] utilized Leap model for power system until 2040. Löffler et al. [364] established a model for the worldwide power

systems up to 2050. Tozzi and Ho [365] categorized 12 energy models on the basis their scales of applications.

Oree et al. [366] presented an assessment of generation expansion planning models. Moreira et al. [367] tested the energy co-optimization models. Emodi et al. [368] applied LEAP energy model in Nigeria to discover upcoming energy requirement and supply. Härtel et al. [369] proposed a Multi-Node transmission expansion planning model. Hemmati et al. [370] proposed an energy optimization model for optimum planning on RES. Nerini et al. [371] developed UK TIMES energy model to evaluate the UK's power systems. DeLlanoPaz et al. [372] presented a study on energy planning models. Ioannou et al. [373] provided a discussion of risk based energy models for sustainable power planning. Moradi et al. [374] presented a Single-node energy model for energy planning. Dhakouani [375] used OSeMOSYS energy model to the power of Tunisia. Lumbreras et al. [376] developed an optimum model for transmission network expansion planning. Després et al. [377] presented POLES energy model for simulation of electricity. Saiah and Stambouli [378] proposed upcoming scenario investigation for the Long term energy planning. Noorollahi et al. [379] discussed electricity GEP of Iran by proposing various RET. By applying genetic algorithm Sharifzadeh et al. [380] discussed the integration of RES from wind and solar energy. Luz et al. [381] suggested a Multi-Objective model for electricity generation expansion planning. Zolfaghari and Akbari [382] presented a Bi-Level energy model for TEP by wind investment. Matar and Elshurafa [383] applied KAPSARC Energy Model to assess the energy policy. Lopion et al. [384] studied the historic developments energy systems models. Kotzur et al. [385] established three single-node energy models. Lara et al. [386] presented a Multi-node energy model for Texas. Neniškis and Galinis [387] presented an electricity and heat energy model of Lithuania. Pineda et al. [388] developed a Multi-node energy model for Europe. Welder et al. [389] utilized a Multi-Node model for power-to-hydrogen energy. del Granado et al. [390] presented energy economic models for energy transition. EPLANopt model is applied for short term energy policy by [391]. Wiese et al. [392] established an energy model in GAMS concentrating on power sectors. Hilbers et al. [393] established a Single-node energy model of Great Britain. Yokoyama et al. [394] presented a building energy model. Zatti et al. [395] presented a district and building models for energy planning. Zhang et al. [396] suggested a Single-node model. Ahmadi et al. [397] established an energy optimization model for Long term energy planning. Deveci and Güler [398] proposed CMOPSO model for RE planning. Koltsaklis and Dagoumas [399] presented a comprehensive study on GEP problems.

Sadeghi et al. [400] discussed GEP problems. Komiyama and Fujii [401] inspected massive integrations of variable Renewable Energy Sources into electricity-generation of Japan. Aryandoust and Lilliestam [402] applied a bi-level optimization model for German upcoming electricity systems. Flores-Quiroz et al. [403] proposed a methodology to discuss GEP problems. Garcia-Herreros et al. [404] suggested a Mixed-Integer Bi-Level energy optimization model for planning. Collins et al. [405] conducted a discussion for integration of short-term fluctuations of power systems to energy models. Alizadeh et al. [406] presented a study on classification of latest energy mechanisms in electric systems. Papaefthymiou and Dragoon [407] discussed the critical stages for building energy systems. Mikkola and Lund [408] discussed optimum ways for the management of the renewable energy systems. Palmintier and Webster [409] inspected the effect of working flexibility on generation expansion planning. An approach is presented by [410] for balancing market expenditures and requirements. Ji et al. [411] discussed power systems with various RE portfolio standards and capacity requirement setups. An approach is presented by [412] to measure the impacts of variables and intermittent Renewable Energy Sources on Long-term energy optimization. Krishnan and Cole [413] applied a linear programming model to measure the impacts of spatial resolution of power systems. Poncelet et al. [414] discussed the generation expansion planning problems. Pereira et al. [415] presented an energy optimization-based GEP model to calculate impacts of variable Renewable Energy Sources on efficiency of thermal power plants. Lu et al. [416] established a Multi-Year GEP model to analyze the RES investments. You et al. [417] proposed the coordinated generation expansion planning under high air flow rate. Blanchard [418] discussed the upcoming development of Macro-Economic models, with particularly emphasis on CGE models. Rasouli and Teneketzis [419] developed an approach for generation expansion planning. A review has been conducted by [420] of decision making models. Saavedra et al. [421] presented a study of applications of Sustainable development approaches in RE. Gravelins et al. [422] discussed that how SDM can be applied in modelling the power systems. Najafi et al. [423] applied a novel approach for medium-term management of an energy system. Guler et al. [424] constructed a theoretical framework of regional energy hub. Wang et al. [425] developed an automatic and linear modeling methodology for energy optimization hub systems. Mohammadi et al. [426] applied various concepts and energy models for energy hub.

Hemmati et al. [427] suggested a sustainable development structure for optimum design of energy hub systems. Zhan et al. [428] established a stochastic

model for solving the energy problems. Zhan et al. [429] developed a bi-level energy model to resolve generation expansion planning problems. Resener et al. [430] conducted a study of energy models for the solution of energy planning problems. Zheng et al. [431] developed a robust MINLP energy model that improves the alignment, sizing and operation of CCHP system. Hemmati et al. [432] presented a two-level energy planning algorithm. Rad and Moravej applied genetic algorithm technique for generation expansion planning. da-Silva developed [434] MOEA technique for generation expansion planning. Rastgou and Moshtagh [435] introduced Firefly algorithm technique. Sisodia et al. [436] applied hybrid algorithm model for resolving TEP problems. Guerra et al. [437] developed a combined energy model to resolve GEP and TEP problems. Moradi et al. [438] developed an algorithm technique to resolve the TEP problems. A social-spider algorithm is used by [439] to solve TEP problems. Rathore and Roy [440] introduced a STEP energy approach to discuss the impacts of plug-in electronic vehicles. Du et al. [441] determined that the electronic system flexibility is to be overvalued if no or basic operation restrictions are measured. A Risk-Averse Stochastic programming model has been introduced by [442] for grid power management. Wu et al. [443] developed TEP model for renewable energy. Yeo and Lee [444] introduced a sequences of various energy planning approaches for urban energy planning. Lu et al. [445] developed an Interval-Fuzzy programming model to enhance China's power management system. Zhang et al. [446] proposed a Fuzzy-Stochastic system model for supporting SD and management of power systems. Gupta and Gupta [447] introduced a robust optimization energy model for micro grid power planning. Falke et al. [448] proposed a Multi-Objective energy optimization and simulation model for the construction of RES. Muller et al. [449] introduced of a methodical modeling technique for multi-modal energy systems planning. Ioannou et al. [450] reviewed the influence of multi-modal power systems modeling on distribution and transmission grids. Saboori and Hemmati [451] discussed the optimum planning of ESU's as a Mixed Integer and nonlinear energy optimization problems to increase the benefit of supply companies. Li et al. [452] established a two-stages energy optimization model to solve the problems of ESU's and DGs. Guerra et al. [453] proposed MILP model for GEP in an interconnected energy system. Min et al. [454] applied a Stochastic optimization model for Long-term capacity expansion planning of energy systems. Mahbub et al. [455] used a new methodology for Long-term power planning. Khan et al. [456] suggested a partial equilibrium linear model. Parkinson et al. [457] developed systems analysis model by applying Multi-Criteria investigation methodology. Lv et al. [458] proposed an energy optimization model for planning of water-energy system. Saif and Almansoori [459] developed a MILP energy model to enhance long term capacity expansion planning. Smaoui and Krichen [460] applied an energy simulation-based model for optimum energy planning. Hickman et al. [461] used a Mixed-Integer model for optimum working of a system. Tomar and Tiwari [462] applied HOMER energy model for economic analysis of grid-connected power systems. Yang et al. [463] presented a review to address the sizing of battery for renewable energy system. A review has been conducted by [464] on existing models for the optimum design of PV-battery systems. Huang et al. [465] developed a Mathematical Decision-Making model for ideal storage ability in grid connected PV power system. Sani Hassan et al. [466] proposed MILP model linked with DER-CAM model to define maximum power flows. Grover-Silva et al. [467] applied power flow distribution grid planning model to address sizing and placement of supply grid connected battery system. Ehsan and Yang [468] established a distributed GEP model to decrease power losses. Ehsan et al. [469] proposed distributed generation investment model to enhance the value of power in distribution system. The investment planning model developed by Ehsan and Yang [470] uses DGP and storage arbitrage advantage to enhance distribution system operator's benefit. Ehsan and Yang [471] developed a MMIP energy model for energy planning. A particle swarm optimization model introduced by Hemmeti et al. in [472]. A Harmony Search Algorithm technique is in [473] for energy planning. Zhang [474] developed a Non-Dominated Genetic Algorithm Approach for energy planning. Zhang et al. [475] used a hybrid technique for energy planning. A Multi-Stage Long-term distribution planning model was proposed in [476,477]. A Multistage distribution model considering energy storage measures was developed by Shen et al. [478]. A bi-level energy model was introduced by Asensio et al. [479]. A Two-Stage Robust programming model was developed by Amjady et al. [480]. Ahmadigorji et al. [481] suggested a reinforcement GEP model. A MILP model was presented by Arias et al. [482]. A second-order conic chance-constrained energy model was proposed by [483]. Ortiz et al. [484] applied a MICP energy model for energy planning. An integrated energy planning model was developed by [485]. A deterministic energy model was introduced by [486]. A MILP energy model was presented by [487]. Dominguez et al. [488] proposed a robust two-stages short-term energy planning model. Lipu et al. [489] used HOMER for sensitivity investigation on hybrid renewable energy system. A stochastic mixed-integer convex programming model has been suggested by

Home-Ortiz et al. [490]. Peerapong et al. [491] applied HOMER energy model to maximize the electrification development in diesel based generator in Thailand. Soukeyna et al. [492] utilized HOMER energy model to achieve a viability study on generating energy from hybrid renewable system. Sadati et al. [493] used HOMER energy model for energy planning in Mediterranean area. Hantoro et al. [494] presented HOMER energy model to discuss the energy requirement and design of hybrid systems in Indonesia. Qolipour et al. [495] applied HOMER and MATLAB models to suggest a mathematical energy model for improving the renewable electricity expenses.

3. CONCLUSIONS

The different energy optimization models presented/applied in developed and under-developed countries have been reviewed. The review show that large number of models have been presented and applied in developed nations like USA, China, Italy, Brazil, Portugal, Netherland, Japan, Sweden, Spain, France, Denmark, Germany, Belgium, Taiwan and Switzerland. Only a few numbers of energy planning models have been used in under-developed countries like India, Iran, Turkey, Malaysia, Iraq Saudi Arabia, Bangladesh and Pakistan. For sustainable development and renewable energy concerns, major factors for the application of energy planning models are life span of the energy system, consistency, alternating supply, geographical location, investment and community involvement.

Acknowledgements

I am very thankful to Dr. Muhammad Sultan for valuable contribution in this review paper.

References

- Suganthi L, Iniyan S, Samuel AA. (2015). Applications of fuzzy logic in renewable energy systems—a review. *Renewable and sustainable energy reviews*. Aug 1;4, pp.585-607
- Sarakikya H, Ibrahim I, Kiplagat J. (2015). Renewable energy policies and practice in Tanzania: Their contribution to Tanzania economy and poverty alleviation. update. 2015 Dec 8;177(337,740.00), pp.454-654
- Lund H, Mathiesen BV. (2009). Energy system analysis of 100% renewable energy systems—The case of Denmark in years 2030 and 2050. *Energy*. Vol. 34, No. 5, pp. 524-31.
- Kadian R, Dahiya RP, Garg HP. (2007). Energy-related emissions and mitigation opportunities from the household sector in Delhi. *Energy Policy*. Vol. 35, No. 12; pp. 6195-211
- Bhattacharyya, S. and Timilsina, G. (2010). A review of energy system models. *International Journal of Energy Sector Management*. Vol. 4; No. 4; pp. 494-518.
- Pandey R. (2002). Energy policy modelling: agenda for developing countries. *Energy Policy*. vol.30; No. 2; pp. 97-106
- Nakata T. (2004). Energy-economic models and the environment. *Progress in energy and combustion science*. Vol. 30, No. 4, pp. 417-75
- Urban FR, Benders RM, Moll HC. (2007). Modelling energy systems for developing countries. *Energy Policy*. Vol. 35; No. 6; pp. 3473-82
- Li J. (2008). Towards a low-carbon future in China's building sector—A review of energy and climate models forecast. *Energy policy*. Vol.36; No. 5; pp.1736-47
- Fleiter T, Worrell E, Eichhammer W. (2011). Barriers to energy efficiency in industrial bottom-up energy demand models—A review. *Renewable and sustainable energy reviews*. 2011 Aug 1; vol.15; No. 6; pp.3099-111
- Richter M. (2012). Utilities' business models for renewable energy: A review. *Renewable and Sustainable Energy Reviews*. 2012 Jun 1; Vol. 16; No. 5; pp.2483-93
- Gargiulo M, Gallachóir BÓ. (2013). Long-term energy models: Principles, characteristics, focus, and limitations. *Wiley Interdisciplinary Reviews: Energy and Environment*. 2013 Mar; Vol. 2; No. 2, pp.158-77
- Coakley D, Raftery P, Keane M. (2014). A review of methods to match building energy simulation models to measured data. *Renewable and sustainable energy reviews*. 2014 Sep 1; Vol. 37, pp. 123-41
- Hall LM, Buckley AR. (2016). A review of energy systems models in the UK: Prevalent usage and categorisation. *Applied Energy*. Vol. 169; pp. 607-28
- Burger SP, Luke M. (2017). Business models for distributed energy resources: A review and empirical analysis. *Energy Policy*. 2017 Oct 1; Vol.109; pp. 230-48
- Happle G, Fonseca JA, Schlueter A. (2018) A review on occupant behavior in urban building energy models. *Energy and Buildings*. Vol. 174; pp.276-92
- Mosavi A, Salimi M, Faizollahzadeh Ardabili S, Rabczuk T, Shamshirband S, Varkonyi-Koczy AR. (2019) State of the art of machine learning models in energy systems, a systematic review. *Energies*. Vol. 12; No. 7; pp.1301
- Dagoumas AS, Koltsaklis NE. (2019). Review of models for integrating renewable energy in the generation expansion planning. *Applied Energy*. Vol. 242; pp. 1573-87
- Chen W, Wu Z. (2001) Study on China's future sustainable energy development strategy using MARKAL model. *Journal of Tsinghua University. Science and Technology*. Vol. 41; No. 12; pp. 103-106
- Akinbami JF. (2001). Renewable energy resources and technologies in Nigeria: present situation, future prospects and policy framework. *Mitigation and adaptation strategies for global change*. Vol. 6, No. 2; pp. 155-182
- Heinrich G, Basson L, Cohen B, Howells M, Petrie J. (2007). Ranking and selection of power expansion alternatives for multiple objectives under uncertainty. *Energy*. Vol. 32; No. 12; pp. 2350-69
- Tsai MS, Chang SL. (2015). Taiwan's 2050 low carbon development roadmap: An evaluation with the MARKAL model. *Renewable and Sustainable Energy Reviews*. Vol. 49, pp. 178-91
- Mondal MA, Kennedy S, Mezher T. (2014) Long-term optimization of United Arab Emirates energy future: policy implications. *Applied energy*. Vol. 114; pp.466-74
- García-Gusano D, Cabal H, Lechón Y. (2015) Long-term behaviour of CO2 emissions from cement production in Spain: scenario analysis using an energy optimisation model. *Journal of Cleaner Production*. Vol. 99; pp. 101-11
- Krakowski V, Assoumou E, Mazauric V, Maïzi N. (2016). Feasible path toward 40–100% renewable energy shares for power supply in France by 2050: A prospective analysis. *Applied Energy*. Vol. 171; pp. 501-22

26. Giatrakos GP, Tsoutsos TD, Zografakis N. (2009). Sustainable power planning for the island of Crete. *Energy Policy*. 2009 Apr 1; Vol. 37; No. 4, pp.1222-38
27. Fernandes L, Ferreira P. (2014). Renewable energy scenarios in the Portuguese electricity system. *Energy*. Vol. 69; pp. 51-7
28. Roinioti A, Koroneos C, Wangenstein I. (2012). Modeling the Greek energy system: Scenarios of clean energy use and their implications. *Energy Policy*. 2012 Nov 1; Vol. 50; pp. 711-22
29. Amirnekoeei K, Ardehali MM, Sadri A. (2012) Integrated resource planning for Iran: Development of reference energy system, forecast, and long-term energy-environment plan. *Energy*; Vol. 46; No. 1; pp. 374-85
30. McPherson M, Karney B. (2014) Long-term scenario alternatives and their implications: LEAP model application of Panama' s electricity sector. *Energy Policy*. 2014 May 1; Vol. 68; pp. 146-57
31. Mirasgedis S, Sarafidis Y, Georgopoulou E, Lalas DP, Papastavros C. (2004). Mitigation policies for energy related greenhouse gas emissions in Cyprus: the potential role of natural gas imports. *Energy Policy*. 2004 Jun 1; Vol. 32; No. 8; pp.1001-11
32. Saradhi IV, Pandit GG, Puranik VD. (2009). energy supply, demand and environmental analysis—a case study of Indian energy scenario. *International Journal of Environmental Science and Engineering*. Vol.1(3); pp. 115-20
33. Herdinie SS, Sartono E. (2003). The role OF nuclear power and other energy options in competitive electricity market study using message model. *Jurnal Pengembangan Energi Nuklir*. 2003;5(1)
34. Pereira Jr AO, Soares JB, De Oliveira RG, De Queiroz RP. (2008). Energy in Brazil: Toward sustainable development?. *Energy Policy*. 2008 Jan 1;36(1): pp.73-83
35. Hainoun A, Aldin MS, Almoustafa S. (2010) Formulating an optimal long-term energy supply strategy for Syria using MESSAGE model. *Energy Policy*. 2010 Apr 1;38(4): pp. 1701-14
36. Fairuz SM, Sulaiman MY, Lim CH, Mat S, Ali B, Saadatian O, Ruslan MH, Salleh E, Sopian K. Long term strategy for electricity generation in Peninsular Malaysia—Analysis of cost and carbon footprint using MESSAGE. *Energy Policy*. 2013 Nov 1;62: pp. 493-502
37. Kichonge B, John GR, Mkilaha IS. (2015) Modelling energy supply options for electricity generations in Tanzania. *Journal of Energy in Southern Africa*. 2015 Aug;26(3): pp.41-57
38. Porubova J, Bazbauers G. (2010). Analysis of long-term plan for energy supply system for Latvia that is 100% based on the use of local energy resources. *Environmental and Climate Technologies*. 2010 Jan 1; Vol.4(1); pp. 82-90
39. Le NA, Bhattacharyya SC. (2011). Integration of wind power into the British system in 2020. *Energy*. 2011 Oct 1; Vol. 36(10): pp. 5975-83
40. Ćosić B, Markovska N, Taseska V, Krajačić G, Duić N. 2011. The potential of GHG emissions reduction in Macedonia by renewable electricity. *Chemical Engineering Transactions*. Vol.25; pp.57-62
41. Palzer A, Henning HM. (2014) A comprehensive model for the German electricity and heat sector in a future energy system with a dominant contribution from renewable energy technologies—Part II: Results. *Renewable and Sustainable Energy Reviews*. Vol. 30; pp.1019-34
42. Landsberg PT. (1977): A simple model for solar energy economics in the UK. *Energy*. 1977 Jun 1;2(2):149-59
43. Marchetti C. Primary energy substitution models: on the interaction between energy and society. *Technological forecasting and social change*. 1977 Jan 1;10(4):345-56
44. Stern MO. A policy-impact model for the supply of depletable resources with applications to crude oil. *Energy*. 1977 Sep 1;2(3):257-72
45. Smith BR. Modelling New Zealand's energy system. *European Journal of Operational Research*. 1980 Mar 1;4(3):173-84
46. Riaz T. Energy policy formulation for Pakistan: An optimization approach. *Energy Economics*. 1981 Jul 1;3(3):191-7
47. Borg S. A discriminating monopolist model of natural gas markets over the period 1960–1966. *Applied Energy*. 1981 Oct 1;9(2):153-8
48. Ambrosone G, Catalanotti S, Matarazzo M, Vicari L. A dynamic model for the thermal energy management of buildings. *Applied energy*. 1983 Jan 1;15(4):285-97
49. Fawkes S. Soft-systems model of energy management and checklists for energy managers. *Applied energy*. 1987 Jan 1;27(3):229-41
50. Hammarsten S. A critical appraisal of energy-signature models. *Applied Energy*. 1987 Jan 1;26(2):97-110
51. Hsu GJ, Leung P, Ching CT. A multiobjective programming and interindustry model for energy-economic planning in Taiwan. *Energy Syst. Policy*;(United States). 1987 Jan 1;11(3)
52. Rahman SH. Aggregate energy demand projections for India: an econometric approach. *Pacific Asian J Energy*. 1988 Jul;2:32-46
53. Natarajan R. Some essential considerations in energy policy and planning for the future. *Urja*. 1990;27(1):39-50
54. Capros P, Karadeloglou P, Mentzas G, Samouilidis JE. 3.1. Short and medium-term modeling and problems of models linkage. *Energy*. 1990 Mar 1;15(3-4):301-24
55. Baker AB, Finizza AJ. 1.2. Corporate point of view on modeling. *Energy*. 1990 Mar 1;15(3-4):149-53
56. Kaya Y. 1.4. Credibility of models. *Energy*. 1990 Mar 1;15(3-4):163-70
57. Reister DB. 2.3 The hybrid approach to demand modeling. *Energy*. 1990 Mar 1;15(3-4):249-60
58. Cai YP, Huang GH, Yang ZF, Lin QG, Tan Q. Community-scale renewable energy systems planning under uncertainty- An interval chance-constrained programming approach. *Renewable and Sustainable Energy Reviews*. 2009. 13(4), 721-735
59. Shi X, Lu Y. 3.2. Multisectoral planning models. *Energy*. 1990 Mar 1;15(3-4):325-39
60. Weyant JP. 1.7. Policy modeling: An overview. *Energy*. 1990 Mar 1;15(3-4):203-6
61. Labys WC, Weyant JP. 3.3. Integrated models. *Energy*. 1990 Mar 1;15(3-4):341-4
62. Boyd G, Fox J, Hanson D. 3.4. Set of models. *Energy*. 1990 Mar 1;15(3-4):345-62
63. Alam MS, Huq AM, Bala BK. An integrated rural energy model for a village in Bangladesh. *Energy*. 1990 Feb 1;15(2):131-9
64. Werbos PJ. 2.1. Econometric techniques: Theory versus practice. *Energy*. 1990 Mar 1;15(3-4):213-36
65. Labys WC, Asano H. 2.2. Process models. *Energy*. 1990 Mar 1;15(3-4):237-48
66. Poch LA, Jenkins RT. 4.4. Dynamic programming models. *Energy*. 1990 Jul 1;15(7-8):573-81
67. Psarras J, Capros P, Samouilidis JE. 4.5. Multiobjective programming. *Energy*. 1990 Jul 1;15(7-8):583-605
68. Labys WC, Kuczmowski T, Infanger G. 4.6. Special programming models. *Energy*. 1990 Jul 1;15(7-8):607-17
69. Oliver SY. 5.0. Interface between mental and computer models. *Energy*. 1990 Jul 1;15(7-8):621-9
70. Belyaev LS. 5.1. Pay-off matrix technique. *Energy*. 1990 Jul 1;15(7-8):631-43
71. Bowe TR, Dapkus WD, Patton JB. 5.3. Markov models. *Energy*. 1990 Jul 1;15(7-8):661-76

72. Logan DM. 5.4. Decision analysis in engineering-economic modeling. *Energy*. 1990 Jul 1;15(7-8):677-96
73. Zeng G-H, Shiau T-A, Lin C-Y. Application of multi criteria decision making to the evaluation of new energy system development in Taiwan. *Energy* 1992;17:983-92
74. Calderan R, Spiga M, Vestrucci P. Energy modelling of a cogeneration system for a food industry. *Energy*. 1992 Jun 1;17(6):609-16
75. Joshi B, Bhatti TS, Bansal NK. Decentralized energy planning model for a typical village in India. *Energy*. 1992 Sep 1;17(9):869-76
76. Mohanty B, Panda H. Integrated energy system for industrial complexes. Part I: A linear programming approach. *Applied Energy*. 1993 Jan 1;46(4):317-48
77. Mackay RM, Probert SD. Predicted supplies of oil: a controversy revisited. *Applied Energy*. 1993 Jan 1;46(2):113-47
78. Nilsson K, Söderström M. Industrial applications of production planning with optimal electricity demand. *Applied Energy*. 1993 Jan 1;46(2):181-92
79. Sinha A. Modelling the economics of combined wind/hydro/diesel power systems. *Energy Conversion And Management*. 1993 Jul 1;34(7):577-85
80. Malik SB, Satsangi PS, Tripathy SC, Balasubramanian R. Mathematical model for energy planning of rural India. *International Journal Of Energy Research*. 1994 Jun;18(4):469-82
81. Johnson BE. Modeling energy technology choices: which investment analysis tools are appropriate?. *Energy Policy*. 1994 Oct 1;22(10):877-83
82. Zaheer-Uddin M, Zheng GR. A VAV system model for simulation of energy management control functions: off normal operation and duty cycling. *Energy Conversion And Management*. 1994 Nov 1;35(11):917-31
83. Kydes AS, Shaw SH, McDonald DF. Beyond the horizon: recent directions in long-term energy modeling. *Energy*. 1995 Feb 1;20(2):131-49
84. Ramanathan R, Ganesh LS. Energy alternatives for lighting in households: an evaluation using an integrated goal programming-AHP model. *Energy*. 1995 Jan 1;20(1):63-72
85. Huang JP, Poh KL, Ang BW. Decision analysis in energy and environmental modeling. *Energy*. 1995 Sep 1;20(9):843-55
86. Räsänen M, Ruusunen J, Hämäläinen RP. Customer level analysis of dynamic pricing experiments using consumption-pattern models. *Energy*. 1995 Sep 1;20(9):897-906
87. Rodriguez-Padilla V, Vargas R. Energy reform in Mexico. A new development model or modernization of statism?. *Energy Policy*. 1996 Mar 1;24(3):265-74
88. Spinney PJ, Watkins GC. Monte Carlo simulation techniques and electric utility resource decisions. *Energy Policy*. 1996 Feb 1;24(2):155-63
89. Kumar S, Rubab S, Kandpal TC, Mullick SC. Financial feasibility analysis of box-type solar cookers in India. *Energy*. 1996 Dec 1;21(12):1257-64
90. Able-Thomas U. Models of renewable energy technology transfer to developing countries. *Renewable Energy*. 1996 Sep 1;9(1-4):1104-7
91. Khemiri-Enit A, Annabi-Cenaffif M. Models for energy conservation to be used in energy audits. *Renewable Energy*. 1996 Sep 1;9(1-4):1299-302
92. Singh S, Singh IP, Singh S, Pannu CJ. Energy planning of a Punjab village using multiple objectives compromise programming. *Energy Conversion And Management*. 1996 Mar 1;37(3):329-42
93. Malik SB, Satsangi PS. Data extrapolation techniques for energy systems planning. *Energy Conversion And Management*. 1997 Sep 1;38(14):1459-74
94. Boonekamp PG. Monitoring the energy use of households using a simulation model. *Energy Policy*. 1997 Jun 1;25(7-9):781-7
95. Neubauer F, Westman E, Ford A. Applying planning models to study new competition: analysis for the Bonneville Power Administration. *Energy Policy*. 1997 Feb 1;25(3):273-80
96. Alam MS, Roychowdhury A, Islam KK, Huq AM. A revisited model for the physical quality of life (PQL) as a function of electrical energy consumption. *Energy*. 1998 Sep 1;23(9):791-801
97. Martins AG, Figueiredo R, Coelho D, de Sousa JL. Energy planning in urban historical centres A methodological approach with a case-study. *Energy Policy*. 1998 Dec 1;26(15):1153-65
98. Akisawa A, Kang YT, Shimazaki Y, Kashiwagi T. Environmentally friendly energy system models using material circulation and energy cascade—the optimization work. *Energy*. 1999 Jul 1;24(7):561-78
99. Scott MJ, Sands RD, Edmonds J, Liebetrau AM, Engel DW. Uncertainty in integrated assessment models: modeling with MiniCAM 1.0. *Energy Policy*. 1999 Dec 1;27(14):855-79
100. Shrestha RM, Marpaung CO. Supply-and demand-side effects of carbon tax in the Indonesian power sector: an integrated resource planning analysis. *Energy Policy*. 1999 Apr 1;27(4):185-94
101. Sørensen B, Meibom P. GIS tools for renewable energy modelling. *Renewable Energy*. 1999 Jan 1;16(1-4):1262-7
102. Tessmer RG, Hoffman KC, Marcuse W, Behling DJ. Coupled energy system—economic models and strategic planning. *Computers & Operations Research*. 1975 Dec 1;2(3-4):213-24
103. Kavrakoglu, I. Decision analysis in the energy sector. *Appl. Math. Modell*. 1980, 4, 456-462
104. Samouilidis JE, Psarras J, Papaconstantinou DV. Electricity planning vs energy planning: A modelling approach. *Omega*. 1984 Jan 1;12(4):341-6
105. Musgrove AD. A linear programming analysis of liquid-fuel production and use options for Australia. *Energy*. 1984 Apr 1;9(4):281-302
106. Macal CM, Bragen MJ, Marshall JE. An integrated energy planning model for Illinois. *Energy*. 1987 Dec 1;12(12):1239-50
107. Hsu GJ, Leung PS, Ching CT. Energy planning in Taiwan: an alternative approach using a multiobjective programming and input-output model. *The Energy Journal*. 1988 May 1;9(1)
108. Wene CO, Rydén B. A comprehensive energy model in the municipal energy planning process. *European Journal of Operational Research*. 1988 Jan 1;33(2):212-22
109. Harhammer PG, Infanger GM. Decision support system—operation planning. *International Journal of Electrical Power & Energy Systems*. 1989 Jul 1;11(3):155-60
110. Kahane LH. Essays in trade policy and the new political economy (Doctoral dissertation, Columbia University).
111. Suganthi L, Jagadeesan TR. A modified model for prediction of India's future energy requirement. *Energy & Environment*. 1992 Jun;3(4):371-86
112. Tiris M, Atagunduz G, Dincer I. Energy, economy and environment modelling: Applications for Turkey. *Energy*. 1994 Sep 1;19(9):1005-9
113. Arivalagan A, Raghavendra BG, Rao AR. Integrated energy optimization model for a cogeneration based

- energy supply system in the process industry. *International Journal of Electrical Power & Energy Systems*. 1995 Aug 1;17(4):227-33
114. Schoenau GJ, Arinze EA, Sokhansanj S. Simulation and optimization of energy systems for in-bin drying of canola grain (rapeseed). *Energy conversion and management*. 1995 Jan 1;36(1):41-59
 115. Edmonds J, Wise M, Barns DW. Carbon coalitions: The cost and effectiveness of energy agreements to alter trajectories of atmospheric carbon dioxide emissions. *Energy Policy*. 1995 Apr 1;23(4-5):309-35
 116. Lehtilä A, Piriälä P. Reducing energy related emissions: using an energy systems optimization model to support policy planning in Finland. *Energy Policy*. 1996 Sep 1;24(9):805-19
 117. Martins AG, Coelho D, Antunes CH, Clímaco J. A multiple objective linear programming approach to power generation planning with demand-side management (DSM). *International Transactions in Operational Research*. 1996 Jul 1;3(3-4):305-17
 118. Özelkan EC, Galambosi Á, Fernández-Gaucherand E, Duckstein L. Linear quadratic dynamic programming for water reservoir management. *Applied Mathematical Modelling*. 1997 Sep 1;21(9):591-8
 119. Henning D. MODEST—An energy-system optimisation model applicable to local utilities and countries. *Energy*. 1997 Dec 1;22(12):1135-50
 120. Heyen G, Kalitventzeff B. Methodology for optimization of operation to reduce site-scale energy use in production plants. *Applied Thermal Engineering*. 1997 Aug 1;17(8-10):1005-14
 121. Bojić M, Stojanović B. MILP optimization of a CHP energy system. *Energy Conversion And Management*. 1998 May 1;39(7):637-42
 122. Farag AS, Mousa AE, Cheng TC, Beshir M. Cost effective utilities energy plans optimization and management. *Energy Conversion And Management*. 1999 Mar 1;40(5):527-43
 123. Peippo K, Lund PD, Vartiainen E. Multivariate optimization of design trade-offs for solar low energy buildings. *Energy and Buildings*. 1999 Jan 1;29(2): 189-205.
 124. Gopalakrishnan NK, Thy AK, Geethakumari B. Optimization studies on integrated wind energy systems. *Renewable Energy*. 1999;16(1-4):940-3
 125. Santos A, Dou rado A. Global optimization of energy and production in process industries: a genetic algorithm application. *Control Engineering Practice*. 1999 Apr 1;7(4):549-54
 126. Messner S, Schrattenholzer L. MESSAGE–MACRO: linking an energy supply model with a macroeconomic module and solving it iteratively. *Energy*. 2000 Mar 1;25(3):267-82
 127. Nagel J. Determination of an economic energy supply structure based on biomass using a mixed-integer linear optimization model. *Ecological Engineering*. 2000 Dec 1;16:91-102
 128. Bruhns H, Steadman P, Herring H. A database for modeling energy use in the non-domestic building stock of England and Wales. *Applied Energy*. 2000 Aug 1;66(4):277-97
 129. Hektor B. Planning models for bioenergy: Some general observations and comments. *Biomass and Bioenergy*. 2000 Apr 1;18(4):279-82
 130. Bojić M. Optimization of heating and cooling of a building by employing refuse and renewable energy. *Renewable Energy*. 2000 Aug 1;20(4):453-65
 131. Kram T, Hill D. A multinational model for CO₂ reduction: Defining boundaries of future CO₂ emissions in nine countries. *Energy Policy*. 1996 Jan 1;24(1):39-51
 132. Howells MI, Alfstad T, Victor DG, Goldstein G, Remme U. A model of household energy services in a low-income rural African village. *Energy Policy*. 2005 Sep 1;33(14):1833-51
 133. Yang XH, Yang ZF, Shen ZY. GHHAGA for environmental systems optimization. *Journal of Environmental Informatics*. 2005 Mar 1;5(1):36-41
 134. Fishbone LG, Abilock H. Markal, a linear-programming model for energy systems analysis: Technical description of the bnl version. *International Journal Of Energy Research*. 1981;5(4):353-75
 135. Unger T, Ekvall T. Benefits from increased cooperation and energy trade under CO₂ commitments—The Nordic case. *Climate Policy*. 2003 Jan 1;3(3):279-94
 136. Henning D, Amiri S, Holmgren K. Modelling and optimisation of electricity, steam and district heating production for a local Swedish utility. *European Journal of Operational Research*. 2006 Dec 1;175(2):1224-47
 137. Kannan R. Uncertainties in key low carbon power generation technologies—implication for UK decarbonisation targets. *Applied Energy*. 2009 Oct 1;86(10):1873-86
 138. Watcharejyothin M, Shrestha RM. Effects of cross-border power trade between Laos and Thailand: Energy security and environmental implications. *Energy Policy*. 2009 May 1;37(5):1782-92
 139. Kannan R, Strachan N. Modelling the UK residential energy sector under long-term decarbonisation scenarios: Comparison between energy systems and sectoral modelling approaches. *Applied Energy*. 2009 Apr 1;86(4):416-28
 140. van den Broek M, Brederode E, Ramirez A, Kramers L, van der Kuip M, Wildenborg T, Faaij A, Turkenburg W. An integrated GIS-MARKAL toolbox for designing a CO₂ infrastructure network in the Netherlands. *Energy Procedia*. 2009 Feb 1;1(1): 4071-8
 141. Finon D, Finon D. Un modele energetique pour la France. Centre national de la recherche scientifique; 1976
 142. Van der Voort E. The EFOM 12C energy supply model within the EC modelling system. *Omega*. 1982 Jan 1;10(5):507-23
 143. Yeung D, Hartwick JM. Interest rate and output price uncertainty and industry equilibrium for non-renewable resource extracting firms. *Resources And Energy*. 1988 Mar 1;10(1):1-4
 144. Tan Q, Huang GH, Cai YP. Identification of optimal plans for municipal solid waste management in an environment of fuzziness and two-layer randomness. *Stochastic Environmental Research and Risk Assessment*. 2010 Jan 1;24(1):147-64
 145. Khella AF. Egypt: energy planning policies with environmental considerations. *Energy Policy*. 1997 Jan 1;25(1):105-15
 146. Grohnheit PE, Mortensen BO. Competition in the market for space heating. District heating as the infrastructure for competition among fuels and technologies. *Energy Policy*. 2003 Jul 1;31(9):817-26
 147. Vaillancourt K, Labriet M, Loulou R, Waub JP. The role of nuclear energy in long-term climate scenarios: An analysis with the World-TIMES model. *Energy Policy*. 2008 Jul 1;36(7):2296-307
 148. Sadeghi M, Hosseini HM. Energy supply planning in Iran by using fuzzy linear programming approach (regarding uncertainties of investment costs). *Energy Policy*. 2006 Jun 1;34(9):993-1003
 149. Backus G, Amlin J, Kleeman S. Introduction to energy 2020. *Systematic Solutions, Inc.*, Fairborn, OH. 1993

150. Luhanga ML, Mwandosya MJ, Luteganya PR. Optimization in computerized energy modelling for Tanzania. *Energy*. 1993 Nov 1;18(11):1171-9
151. Heaps CG. Long-range energy alternatives planning (LEAP) system. Somerville, MA, USA: Stockholm Environment Institute. 2012
152. EIA U. The national energy modeling system: an overview. *Energy Information Administration*, US Department of Energy, Washington, DC (DOE/EIA-0581 (2009)). 2009
153. Islam SM. Sustainable economic developments in the Australian energy sector: Findings of the Australian energy planning system optimization model (AEPSOM). *Renewable and Sustainable Energy Reviews*. 1997 Sep 1;1(3):229-38
154. Fujii Y, Yamaji K. Assessment of technological options in the global energy system for limiting the atmospheric CO₂ concentration. *Environmental Economics and Policy Studies*. 1998 Dec 1;1(2):113-39
155. Huang X. Chance-constrained programming models for capital budgeting with NPV as fuzzy parameters. *Journal of Computational and Applied Mathematics*. 2007 Jan 1;198(1):149-59
156. Kadian R, Dahiya RP, Garg HP. Energy-related emissions and mitigation opportunities from the household sector in Delhi. *Energy Policy*. 2007 Dec 1;35(12):6195-211
157. Berger C, Fuller D, Haurie A, Loulou R, Luthra D, Waaub JP. Modelling energy use in the mineral processing industries of Ontario with MARKAL-Ontario. *Energy*. 1990 Sep 1;15(9):741-58
158. Rydén B, Johnsson J, Wene CO. CHP production in integrated energy systems examples from five Swedish communities. *Energy Policy*. 1993 Feb 1;21(2):176-90
159. Macchiato MF, Cosmi C, Ragosta M, Tosato G. Atmospheric emission reduction and abatement costs in regional environmental planning. *Journal of Environmental Management*. 1994 Jun 1;41(2):141-56
160. Gielen D, Changhong C. The CO₂ emission reduction benefits of Chinese energy policies and environmental policies: A case study for Shanghai, period 1995–2020. *Ecological Economics*. 2001 Nov 1;39(2):257-70
161. Büeler B. Solving an equilibrium model for trade of CO₂ emission permits. *European Journal of Operational Research*. 1997 Oct 16;102(2):393-403
162. Kanudia A, Loulou R. Robust responses to climate change via stochastic MARKAL: The case of Québec. *European Journal of Operational Research*. 1998 Apr 1;106(1):15-30
163. Kanudia A, Shukla PR. Modelling of uncertainties and price elastic demands in energy-environment planning for India. *Omega*. 1998 Jun 1;26(3):409-23
164. Larsson T, Grohnheit PE, Unander F. Common action and electricity trade in Northern Europe. *International Transactions in Operational Research*. 1998 Jan;5(1):3-11
165. Sato O, Shimoda M, Tatematsu K, Tadokoro Y. Roles of nuclear energy in Japan's future energy systems. *Progress In Nuclear Energy*. 2000 Jan 1;37(1-4):95-100
166. Gielen D, Changhong C. The CO₂ emission reduction benefits of Chinese energy policies and environmental policies: A case study for Shanghai, period 1995–2020. *Ecological Economics*. 2001 Nov 1;39(2):257-70
167. Zongxin W, DeLaquil P, Larson ED, Wenying C, Pengfei G. Future implications of China's energy-technology choices: summary of a report to the Working Group on Energy Strategies and Technologies. *Energy for Sustainable Development*. 2001 Dec 1;5(4):19-31
168. Salvia M, Cosmi C, Macchiato M, Mangiamela L. Waste management system optimisation for Southern Italy with MARKAL model. *Resources, Conservation and Recycling*. 2002 Jan 1;34(2):91-106
169. Cosmi C, Macchiato M, Mangiamela L, Marmo G, Pietrapertosa F, Salvia M. Environmental and economic effects of renewable energy sources use on a local case study. *Energy Policy*. 2003 Apr 1;31(5):443-57
170. De Laquil P, Wenying C, Larson ED. Modeling China's energy future. *Energy for Sustainable Development*. 2003 Dec 1;7(4):40-56
171. Jaccard M, Loulou R, Kanudia A, Nyboer J, Bailie A, Labriet M. Methodological contrasts in costing greenhouse gas abatement policies: Optimization and simulation modeling of micro-economic effects in Canada. *European Journal of Operational Research*. 2003 Feb 16;145(1):148-64
172. Mathur J, Bansal NK, Wagner HJ. Investigation of greenhouse gas reduction potential and change in technological selection in Indian power sector. *Energy Policy*. 2003 Sep 1;31(12):1235-44
173. Pietrapertosa F, Cosmi C, Macchiato M, Marmo G, Salvia M. Comprehensive modelling for approaching the Kyoto targets on a local scale. *Renewable and Sustainable Energy Reviews*. 2003 Jun 1;7(3):249-70
174. Carlson DA, Haurie A, Vial JP, Zachary DS. Large-scale convex optimization methods for air quality policy assessment. *Automatica*. 2004 Mar 1;40(3):385-95
175. Morales KE. Response from a MARKAL technology model to the EMF scenario assumptions. *Energy Economics*. 2004 Jul 1;26(4):655-74
176. Salvia M, Pietrapertosa F, Cosmi C, Cuomo V, Macchiato M. Approaching the Kyoto targets: a case study for Basilicata region (Italy). *Renewable and Sustainable Energy Reviews*. 2004 Feb 1;8(1):73-90
177. Endo E, Ichinohe M. Cost-effectiveness of subsidization to photovoltaics in Japan from the viewpoint of carbon dioxide emission reduction. In *Greenhouse Gas Control Technologies 7* 2005 Jan 1 (pp. 841-849). Elsevier Science Ltd
178. Unger T, Ahlgren EO. Impacts of a common green certificate market on electricity and CO₂-emission markets in the Nordic countries. *Energy Policy*. 2005 Nov 1;33(16):2152-63
179. Changhong C, Bingyan W, Qingyan F, Green C, Streets DG. Reductions in emissions of local air pollutants and co-benefits of Chinese energy policy: a Shanghai case study. *Energy Policy*. 2006 Apr 1;34(6):754-62
180. Endo E, Ichinohe M. Analysis on market deployment of photovoltaics in Japan by using energy system model MARKAL. *Solar energy materials and solar cells*. 2006 Nov 23;90(18-19):3061-7
181. Ichinohe M, Endo E. Analysis of the vehicle mix in the passenger-car sector in Japan for CO₂ emissions reduction by a MARKAL model. *Applied Energy*. 2006 Oct 1;83(10):1047-61
182. Schaefer A, Jacoby HD. Vehicle technology under CO₂ constraint: a general equilibrium analysis. *Energy Policy*. 2006 Jun 1;34(9):975-85
183. Contaldi M, Gracceva F, Tosato G. Evaluation of green-certificates policies using the MARKAL-MACRO-Italy model. *Energy Policy*. 2007 Feb 1;35(2):797-808
184. Rafaj P, Kypreos S. Internalisation of external cost in the power generation sector: Analysis with Global Multi-regional MARKAL model. *Energy Policy*. 2007 Feb 1;35(2):828-43
185. Winkler H. Energy policies for sustainable development in South Africa. *Energy for Sustainable Development*. 2007 Mar 1;11(1):26-34

186. Nguyen KQ. Internalizing externalities into capacity expansion planning: *The case of electricity in Vietnam*. *Energy*. 2008 May 1;33(5):740-6
187. Dalton GJ, Lockington DA, Baldock TE. Feasibility analysis of stand-alone renewable energy supply options for a large hotel. *Renewable Energy*. 2008 Jul 1;33(7):1475-90
188. Dalton GJ, Lockington DA, Baldock TE. Case study feasibility analysis of renewable energy supply options for small to medium-sized tourist accommodations. *Renewable Energy*. 2009 Apr 1;34(4):1134-44
189. Dalton GJ, Lockington DA, Baldock TE. Feasibility analysis of renewable energy supply options for a grid-connected large hotel. *Renewable Energy*. 2009 Apr 1;34(4):955-64
190. Park JB, Park YM, Won JR, Lee KY. An improved genetic algorithm for generation expansion planning. *IEEE Transactions on Power Systems*. 2000 Aug;15(3):916-22
191. Suganthi L, Williams A. Renewable energy in India – a modelling study for 2020–2021. *Energy Policy*. 2000 Dec 1;28(15):1095-109
192. Rozakis S, Sourie JC, Vanderpooten D. Integrated micro-economic modelling and multi-criteria methodology to support public decision-making: the case of liquid bio-fuels in France. *Biomass And Bioenergy*. 2001 May 1;20(5):385-98
193. Sun J. Is GNP-energy model logical?. *Energy Policy*. 2001 Oct 1;29(12):949-50
194. Yokoyama R, Ito K. Optimal design of energy supply systems based on relative robustness criterion. *Energy Conversion and Management*. 2002 Mar 1;43(4):499-514
195. Frei CW, Haldi PA, Sarlos G. Dynamic formulation of a top-down and bottom-up merging energy policy model. *Energy Policy*. 2003 Aug 1;31(10):1017-31
196. Beccali M, Cellura M, Mistretta M. Decision-making in energy planning. Application of the Electre method at regional level for the diffusion of renewable energy technology. *Renewable Energy*. 2003 Oct 1;28(13):2063-87
197. Cormio C, Dicorato M, Minoia A, Trovato M. A regional energy planning methodology including renewable energy sources and environmental constraints. *Renewable and Sustainable Energy Reviews*. 2003 Apr 1;7(2):99-130
198. Iniyan S, Sumathy K. The application of a Delphi technique in the linear programming optimization of future renewable energy options for India. *Biomass and Bioenergy*. 2003 Jan 1;24(1):39-50
199. ZhiDong L. An econometric study on China's economy, energy and environment to the year 2030. *Energy Policy*. 2003 Sep 1;31(11):1137-50
200. Roeger W, in't Veld J. Some selected simulation experiments with the European commission's QUEST model. *Economic Modelling*. 2004 Sep 1;21(5):785-832
201. Antunes CH, Martins AG, Brito IS. A multiple objective mixed integer linear programming model for power generation expansion planning. *Energy*. 2004 Mar 1;29(4):613-27
202. Huber C, Faber T, Haas R, Resch G. Organising a joint green European electricity market: the model ElGreen. *Renewable Energy*. 2004 Feb 1;29(2):197-210
203. Agoris D, Tigas K, Giannakidis G, Siakkis F, Vassos S, Vassilakos N, Kilias V, Damassiotis M. An analysis of the Greek energy system in view of the Kyoto commitments. *Energy Policy*. 2004 Dec 1;32(18):2019-33
204. Kong XQ, Wang RZ, Huang XH. Energy optimization model for a CCHP system with available gas turbines. *Applied Thermal Engineering*. 2005 Feb 1;25(2-3):377-91
205. Nakata T, Kubo K, Lamont A. Design for renewable energy systems with application to rural areas in Japan. *Energy Policy*. 2005 Jan 1;33(2):209-19
206. Kranzl L, Stadler M, Huber C, Haas R, Ragwitz M, Brakhage A, Gula A, Figorski A. Deriving efficient policy portfolios promoting sustainable energy systems—Case studies applying Invert simulation tool. *Renewable Energy*. 2006 Dec 1;31(15):2393-410
207. Tsioliariidou E, Bakos GC, Stadler M. A new energy planning methodology for the penetration of renewable energy technologies in electricity sector—application for the island of Crete. *Energy Policy*. 2006 Dec 1;34(18):3757-64
208. Caselles-Moncho A, Ferrandiz-Serrano L, Peris-Mora E. Dynamic simulation model of a coal thermoelectric plant with a flue gas desulphurisation system. *Energy policy*. 2006 Dec 1;34(18):3812-26
209. TERI G. National Energy Map for India: technology vision 2030. The Energy and Resources Institute, Office of the Principal Scientific Advisor, Government of India. 2006
210. Cicek N, Lambert S, Venema HD, Snelgrove KR, Bibeau EL, Grosshans R. Nutrient removal and bio-energy production from Netley-Libau Marsh at Lake Winnipeg through annual biomass harvesting. *Biomass and Bioenergy*. 2006 Jun 1;30(6):529-36
211. Huang GH, He L, Zeng GM, Lu HW. Identification of optimal urban solid waste flow schemes under impacts of energy prices. *Environmental Engineering Science*. 2008 Jun 1;25(5):685-96
212. Dagoumas AS, Papagiannis GK, Dokopoulos PS. An economic assessment of the Kyoto Protocol application. *Energy Policy*. 2006 Jan 1;34(1):26-39
213. Sirikum J, Techanitisawad A, Kachitvichyanukul V. A new efficient GA-benders' decomposition method: For power generation expansion planning with emission controls. *IEEE Transactions on Power Systems*. 2007 Jul 30;22(3):1092-100
214. Hawkes AD, Leach MA. Cost-effective operating strategy for residential micro-combined heat and power. *Energy*. 2007 May 1;32(5):711-23
215. Nguyen KQ. Wind energy in Vietnam: Resource assessment, development status and future implications. *Energy Policy*. 2007 Feb 1;35(2):1405-13
216. Schulz TF, Barreto L, Kypreos S, Stucki S. Assessing wood-based synthetic natural gas technologies using the SWISS-MARKAL model. *Energy*. 2007 Oct 1;32(10):1948-59
217. Endo E. Market penetration analysis of fuel cell vehicles in Japan by using the energy system model MARKAL. *International Journal of Hydrogen Energy*. 2007 Jul 1;32(10-11):1347-54
218. Chang SL. The analysis of the optimal electricity energy mix decision in Taiwan: application of MULTEEE model. In: Proceedings. *The 30th International Conference of the International Association for Energy Economics*, Wellington, New Zealand; 2007
219. Meza JL, Yildirim MB, Masud AS. A model for the multiperiod multiobjective power generation expansion problem. *IEEE Transactions on Power Systems*. 2007 Apr 30;22(2):871-8
220. Kannan, R., Strachan, N., Anandarajah, G. and Ozkan, B., 2007. UK MARKAL model documentation
221. Song HJ, Lee S, Maken S, Ahn SW, Park JW, Min B, Koh W. Environmental and economic assessment of the chemical absorption process in Korea using the LEAP model. *Energy Policy*. 2007 Oct 1;35(10):5109-16
222. Pokharel S. An econometric analysis of energy consumption in Nepal. *Energy Policy*. 2007 Jan 1;35(1):350-61

223. Klaassen G, Riahi K. Internalizing externalities of electricity generation: An analysis with MESSAGE-MACRO. *Energy Policy*. 2007 Feb 1;35(2):815-27
224. Swider DJ, Weber C. The costs of wind's intermittency in Germany: application of a stochastic electricity market model. *European Transactions on Electrical Power*. 2007 Mar;17(2):151-72
225. Zoulias EI, Lymberopoulos N. Techno-economic analysis of the integration of hydrogen energy technologies in renewable energy-based stand-alone power systems. *Renewable Energy*. 2007 Apr 1;32(4):680-96
226. Ostadi B, Moazzami D, Rezaie K. A non-linear programming model for optimization of the electrical energy consumption in typical factory. *Applied Mathematics And Computation*. 2007 Apr 15;187(2):944-50
227. Beck J, Kempener R, Cohen B, Petrie J. A complex systems approach to planning, optimization and decision making for energy networks. *Energy Policy*. 2008 Aug 1;36(8):2795-805
228. Papagiannis G, Dagoumas A, Lettas N, Dokopoulos P. Economic and environmental impacts from the implementation of an intelligent demand side management system at the European level. *Energy Policy*. 2008 Jan 1;36(1):163-80
229. Jiang B, Wenying C, Yuefeng Y, Lemin Z, Victor D. The future of natural gas consumption in Beijing, Guangdong and Shanghai: An assessment utilizing MARKAL. *Energy Policy*. 2008 Sep 1;36(9):3286-99
230. Mavrotas G, Diakoulaki D, Florios K, Georgiou P. A mathematical programming framework for energy planning in services' sector buildings under uncertainty in load demand: the case of a hospital in Athens. *Energy Policy*. 2008 Jul 1;36(7):2415-29
231. Gan PY, Li Z. An econometric study on long-term energy outlook and the implications of renewable energy utilization in Malaysia. *Energy Policy*. 2008 Feb 1;36(2):890-9
232. du Can SD, Price L. Sectoral trends in global energy use and greenhouse gas emissions. *Energy Policy*. 2008 Apr 1;36(4):1386-403
233. Melton NK. Assessing climate change mitigation with a hybrid energy-economy approach for Africa, the Middle East and Latin America (Doctoral dissertation, School of Resource and Environmental Management-Simon Fraser University)
234. Blanco CJ, Secretan Y, Mesquita AL. Decision support system for micro-hydro power plants in the Amazon region under a sustainable development perspective. *Energy for Sustainable Development*. 2008 Sep 1;12(3):25-33
235. Frombo F, Minciardi R, Robba M, Sacile R. A decision support system for planning biomass-based energy production. *Energy*. 2009 Mar 1;34(3):362-9
236. Khakbazan M, Mohr RM, Derksen DA, Monreal MA, Grant CA, Zentner RP, Moulin AP, McLaren DL, Irvine RB, Nagy CN. Effects of alternative management practices on the economics, energy and GHG emissions of a wheat-pea cropping system in the Canadian prairies. *Soil and Tillage Research*. 2009 Jun 1;104(1):30-8
237. Popescu D, Ungureanu F, Hernández-Guerrero A. Simulation models for the analysis of space heat consumption of buildings. *Energy*. 2009 Oct 1;34(10):1447-53
238. Parikh J, Ghosh P. Energy technology alternatives for India till 2030. *International Journal of Energy Sector Management*. 2009 Jul 1;3(3):233-50
239. Daniel J, Dicorato M, Forte G, Iniyas S, Trovato M. A methodology for the electrical energy system planning of Tamil Nadu state (India). *Energy Policy*. 2009 Mar 1;37(3):904-14
240. Drouet L, Thénie J. An Energy-Technology-Environment Model to Assess Urban Sustainable Development Policies-Reference Manual. *Technical report*, Ordecys Technical Reports; 2009
241. Bujak J. Optimal control of energy losses in multi-boiler steam systems. *Energy*. 2009 Sep 1;34(9):1260-70
242. Sharma D, Bhattacharya K. A planning model for investor firms in the generation sector and financial analysis. In *2009 IEEE Power & Energy Society General Meeting 2009 Jul 26* (pp. 1-7). IEEE
243. Andreassi L, Ciminelli MV, Feola M, Ubertini S. Innovative method for energy management: Modelling and optimal operation of energy systems. *Energy and Buildings*. 2009 Apr 1;41(4):436-44
244. Bernal-Agustín JL, Dufo-Lopez R. Simulation and optimization of stand-alone hybrid renewable energy systems. *Renewable and Sustainable Energy Reviews*. 2009 Oct 1;13(8):2111-8
245. Lagorse J, Paire D, Miraoui A. A multi-agent system for energy management of distributed power sources. *Renewable Energy*. 2010 Jan 1;35(1):174-82
246. Chicco G, Mancarella P. Matrix modelling of small-scale trigeneration systems and application to operational optimization. *Energy*. 2009 Mar 1;34(3):261-73
247. Ehsani A, Ranjbar AM, Fotuhi-Firuzabad M. A proposed model for co-optimization of energy and reserve in competitive electricity markets. *Applied Mathematical Modelling*. 2009 Jan 1;33(1):92-109
248. Morais H, Kádár P, Faria P, Vale ZA, Khodr HM. Optimal scheduling of a renewable micro-grid in an isolated load area using mixed-integer linear programming. *Renewable Energy*. 2010 Jan 1;35(1):151-6
249. Dementjeva N, Siirde A. Analysis of current Estonian energy situation and adaptability of LEAP model for Estonian energy sector. *Energetika*. 2010;56(1):75-84
250. Dagoumas AS, Barker TS. Pathways to a low-carbon economy for the UK with the macro-econometric E3MG model. *Energy Policy*. 2010 Jun 1;38(6):3067-77
251. Anandarajah G, Strachan N. Interactions and implications of renewable and climate change policy on UK energy scenarios. *Energy Policy*. 2010 Nov 1;38(11):6724-35
252. Jaehnert S, Doorman G. Modelling an integrated northern European regulating power market based on a common day-ahead market. In *Proc. of IAEE International Conference*, Rio de Janeiro 2010 Jun
253. Park NB, Yun SJ, Jeon EC. An analysis of long-term scenarios for the transition to renewable energy in the Korean electricity sector. *Energy Policy*. 2013 Jan 1;52:288-96
254. Connolly D, Lund H, Mathiesen BV, Leahy M. A review of computer tools for analysing the integration of renewable energy into various energy systems. *Applied Energy*. 2010 Apr 1;87(4):1059-82
255. Mirzaesmaeeli H, Elkamel A, Douglas PL, Croiset E, Gupta M. A multi-period optimization model for energy planning with CO2 emission consideration. *Journal of Environmental Management*. 2010 May 1;91(5):1063-70
256. Muis ZA, Hashim H, Manan ZA, Taha FM, Douglas PL. Optimal planning of renewable energy-integrated electricity generation schemes with CO2 reduction target. *Renewable Energy*. 2010 Nov 1;35(11):2562-70
257. Unsuhay-Vila C, Marangon-Lima JW, De Souza AZ, Perez-Arriaga IJ, Balestrassi PP. A model to long-term, multiarea, multistage, and integrated expansion planning of electricity and natural gas systems. IEEE

- Transactions on Power Systems*. 2010 Feb 17;25(2):1154-68
258. Mejía Giraldo DA, LOPEZ LEZAMA JE, Gallego Pareja LA. Energy generation expansion planning model considering emissions constraints. *Dyna*. 2010 Sep;77(163):75-84
 259. Zakerinia M, Torabi SA. Multiobjective power expansion planning in the planning horizon. In 2010 IEEE Conference on Innovative Technologies for an Efficient and Reliable Electricity Supply 2010 Sep 27 (pp. 188-194). IEEE
 260. Tekiner H, Coit DW, Felder FA. Multi-period multi-objective electricity generation expansion planning problem with Monte-Carlo simulation. *Electric Power Systems Research*. 2010 Dec 1;80(12):1394-405
 261. Banos R, Manzano-Agugliaro F, Montoya FG, Gil C, Alcayde A, Gómez J. Optimization methods applied to renewable and sustainable energy: A review. *Renewable and Sustainable Energy Reviews*. 2011 May 1;15(4):1753-66
 262. Zhou Y, Wang L, McCalley JD. Designing effective and efficient incentive policies for renewable energy in generation expansion planning. *Applied Energy*. 2011 Jun 1;88(6):2201-9
 263. Dagher L, Ruble I. Modeling Lebanon's electricity sector: alternative scenarios and their implications. *Energy*. 2011 Jul 1;36(7):4315-26
 264. Connolly D, Lund H, Mathiesen BV, Leahy M. The first step towards a 100% renewable energy-system for Ireland. *Applied Energy*. 2011 Feb 1;88(2):502-7
 265. Føyn TH, Karlsson K, Balyk O, Grohnheit PE. A global renewable energy system: A modelling exercise in ETSAP/TIAM. *Applied Energy*. 2011 Feb 1;88(2):526-34
 266. Davies EG, Simonovic SP. Global water resources modeling with an integrated model of the social-economic-environmental system. *Advances on Water Resources*. 2011 Jun 1;34(6):684-700
 267. Han JH, Lee IB. Development of a scalable infrastructure model for planning electricity generation and CO2 mitigation strategies under mandated reduction of GHG emission. *Applied Energy*. 2011 Dec 1;88(12):5056-68
 268. Pereira S, Ferreira P, Vaz AI. Electricity planning in a mixed hydro-thermal-wind power system, Report 02/2011. PTDC/SEN-ENR/099578/2008; 2011
 269. Markovic D, Cvetkovic D, Masic B. Survey of software tools for energy efficiency in a community. *Renewable and Sustainable Energy Reviews*. 2011 Dec 1;15(9):4897-903
 270. Huang Y, Bor YJ, Peng CY. The long-term forecast of Taiwan's energy supply and demand: LEAP model application. *Energy Policy*. 2011 Nov 1;39(11):6790-803
 271. Manfren M, Caputo P, Costa G. Paradigm shift in urban energy systems through distributed generation: Methods and models. *Applied Energy*. 2011 Apr 1;88(4):1032-48
 272. Shammakh MS. A multiperiod mathematical model for integrating planning and SO2 mitigation in the power generation sector. *Energy & Fuels*. 2011 Apr 21;25(4):1504-9
 273. Kannan R. The development and application of a temporal MARKAL energy system model using flexible time slicing. *Applied Energy*. 2011 Jun 1;88(6):2261-72
 274. Careri F, Genesi C, Marannino P, Montagna M, Rossi S, Siviero I. Generation expansion planning in the age of green economy. *IEEE Transactions on Power Systems*. 2011 Feb 24;26(4):2214-23
 275. Unsihuay-Vila C, Marangon-Lima JW, De Souza AZ, Perez-Arriaga IJ. Multistage expansion planning of generation and interconnections with sustainable energy development criteria: A multiobjective model. *International Journal of Electrical Power & Energy Systems*. 2011 Feb 1;33(2):258-70
 276. Karali, N. "Design and development of a large scale energy model." PhD diss., Ph. D. Thesis, Bogazici University, Istanbul, Turkey, 2012
 277. Choi DG, Thomas VM. An electricity generation planning model incorporating demand response. *Energy Policy*. 2012 Mar 1;42:429-41
 278. Han HG, Qiao JF, Chen QL. Model predictive control of dissolved oxygen concentration based on a self-organizing RBF neural network. *Control Engineering Practice*. 2012 Apr 1;20(4):465-76
 279. Sharan I, Balasubramanian R. Integrated generation and transmission expansion planning including power and fuel transportation constraints. *Energy Policy*. 2012 Apr 1;43:275-84
 280. Daioglou V, Van Ruijven BJ, Van Vuuren DP. Model projections for household energy use in developing countries. *Energy*. 2012 Jan 1;37(1):601-15
 281. Stoyan SJ, Dessouky MM. A Stochastic Mixed-Integer Programming approach to the energy-technology management problem. *Computers & Industrial Engineering*. 2012 Nov 1;63(3):594-606. <http://dx.doi.org/10.1016/j.cie.2011.07.012>
 282. Rentizelas AA, Tolis AI, Tatsiopoulou IP. Investment planning in electricity production under CO2 price uncertainty. *International Journal of Production Economics*. 2012 Dec 1;140(2):622-9
 283. Mejía Giraldo DA, López Lezama JM, Gallego Pareja LA. Power system capacity expansion planning model considering carbon emissions constraints. *Revista Facultad de Ingeniería Universidad de Antioquia*. 2012 Mar(62):114-25
 284. Bakirtzis GA, Biskas PN, Chatziathanasiou V. Generation expansion planning by MILP considering mid-term scheduling decisions. *Electric Power Systems Research*. 2012 May 1;86:98-112
 285. Mardan N, Klahr R. Combining optimisation and simulation in an energy systems analysis of a Swedish iron foundry. *Energy*. 2012 Aug 1;44(1):410-9
 286. Sarica K, Kumbaroğlu G, Or I. Modeling and analysis of a decentralized electricity market: An integrated simulation/optimization approach. *Energy*. 2012 Aug 1;44(1):830-52
 287. Bautista S. A sustainable scenario for Venezuelan power generation sector in 2050 and its costs. *Energy Policy*. 2012 May 1;44:331-40
 288. van der Weijde AH, Hobbs BF. The economics of planning electricity transmission to accommodate renewables: Using two-stage optimisation to evaluate flexibility and the cost of disregarding uncertainty. *Energy Economics*. 2012 Nov 1;34(6):2089-101
 289. Promjiraprawat K, Limmeechokchai B. Assessment of Thailand's energy policies and CO2 emissions: analyses of energy efficiency measures and renewable power generation. *Energies*. 2012 Aug;5(8):3074-93
 290. Comodi G, Cioccolanti L, Gargiulo M. Municipal scale scenario: Analysis of an Italian seaside town with MARKAL-TIMES. *Energy Policy*. 2012 Feb 1;41:303-15
 291. Devogelaer D, Duerinck J, Gusbin D, Marenne Y, Nijs W, Orsini M, Pairen M. Towards 100% renewable energy in Belgium by 2050. *Belgium: FPB, ICEDD, VITO*. 2012 Dec 15;156
 292. Bauer N, Baumstark L, Leimbach M. The REMIND-R model: the role of renewables in the low-carbon transformation—first-best vs. second-best worlds. *Climatic Change*. 2012 Sep 1;114(1):145-68

293. Amer M, Daim TU, Jetter A. A review of scenario planning. *Futures*. 2013 Feb 1;46:23-40
294. Hunter K, Sreepathi S, DeCarolis JF. Modeling for insight using tools for energy model optimization and analysis (Temoa). *Energy Economics*. 2013 Nov 1;40:339-49
295. Zhang B, Chen ZM, Xia XH, Xu XY, Chen YB. The impact of domestic trade on China's regional energy uses: a multi-regional input-output modeling. *Energy Policy*. 2013 Dec 1;63:1169-81
296. Kannan R, Turton H. A long-term electricity dispatch model with the TIMES framework. *Environmental Modeling & Assessment*. 2013 Jun 1;18(3):325-43
297. Cho KT, Albertus P, Battaglia V, Kojic A, Srinivasan V, Weber AZ. Optimization and analysis of high-power hydrogen/bromine-flow batteries for grid-scale energy storage. *Energy Technology*. 2013 Oct;1(10):596-608
298. Safaei A, Freire F, Antunes CH. A model for optimal energy planning of a commercial building integrating solar and cogeneration systems. *Energy*. 2013 Nov 1;61:211-23
299. Pereira AJ, Saraiva JT. A long term generation expansion planning model using system dynamics—Case study using data from the Portuguese/Spanish generation system. *Electric Power Systems Research*. 2013 Apr 1;97:41-50
300. Kwon JW, Hwang SH, Kim BH. A Study on Generation Expansion Planning Considering Transition of Nuclear and Renewable Policy. In *Applied Mechanics and Materials 2013* (Vol. 291, pp. 575-580). *Trans Tech Publications Ltd*
301. Aliyu AS, Ramli AT, Saleh MA. Nigeria electricity crisis: Power generation capacity expansion and environmental ramifications. *Energy*. 2013 Nov 1;61:354-67
302. Cai L, Guo J, Zhu L. China's future power structure analysis based on LEAP. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*. 2013 Nov 17;35(22):2113-22
303. Pan LJ, Xie YB, Li W. An analysis of emission reduction of chief air pollutants and greenhouse gases in Beijing based on the LEAP model. *Procedia Environmental Sciences*. 2013 Jan 1;18:347-52
304. Ibitoye FI. The millennium development goals and household energy requirements in Nigeria. *Springer Plus*. 2013 Dec 1;2(1):529
305. Matar W, Murphy F, Pierru A, Rioux B. Modeling the Saudi energy economy and its administered components: The KAPSARC Energy Model
306. Hedenus F, Johansson D, Lindgren K. A critical assessment of Energy-economy-climate models for policy analysis. *Journal of Applied Economics and Business Research*. 2013 May 1;3(2):118-32
307. Chang Y, Li Y. Power generation and cross-border grid planning for the integrated ASEAN electricity market: A dynamic linear programming model. *Energy Strategy Reviews*. 2013 Sep 1;2(2):153-60
308. Amorim F, Pina A, Gerbelová H, da Silva PP, Vasconcelos J, Martins V. Electricity decarbonisation pathways for 2050 in Portugal: A TIMES (The Integrated MARKAL-EFOM System) based approach in closed versus open systems modelling. *Energy*. 2014 May 1;69:104-12
309. Poncelet K, Delarue E, Duerinck J, Six D, D'haeseleer W. The importance of integrating the variability of renewables in long-term energy planning models. Rome, Italy. 2014 Oct 28
310. Iqbal M, Azam M, Naeem M, Khwaja AS, Anpalagan A. Optimization classification, algorithms and tools for renewable energy: A review. *Renewable and Sustainable Energy Reviews*. 2014 Nov 1;39:640-54
311. Halkos, George, Ilias Kevork, Georgia Galani, and Panagiotis Tzeremes. "An analysis of long-term scenarios for the transition to renewable energy in Greece." (2014)
312. Ozcan M, Ozturk S, Yildirim M. Turkey's long-term generation expansion planning with the inclusion of renewable-energy sources. *Computers & Electrical Engineering*. 2014 Oct 1;40(7):2050-61
313. Senshaw, Dereje Azemraw. "Modeling and analysis of long-term energy scenarios for sustainable strategies of Ethiopia." (2014)
314. Prasad RD, Bansal RC, Raturi A. Multi-faceted energy planning: A review. *Renewable and Sustainable Energy Reviews*. 2014 Oct 1;38:686-99
315. Kale RV, Pohekar SD. Electricity demand and supply scenarios for Maharashtra (India) for 2030: An application of long range energy alternatives planning. *Energy Policy*. 2014 Sep 1;72:1-3
316. Poncelet K, Delarue E, Six D, Duerinck J, D'haeseleer W. Impact of the level of temporal and operational detail in energy-system planning models. *Applied Energy*. 2016 Jan 15;162:631-43
317. Aghaei J, Amjady N, Baharvandi A, Akbari MA. Generation and transmission expansion planning: MILP-based probabilistic model. *IEEE Transactions on Power Systems*. 2014 Jan 9;29(4):1592-601
318. Sinha S, Chandel SS. Review of software tools for hybrid renewable energy systems. *Renewable and Sustainable Energy Reviews*. 2014 Apr 1;32:192-205
319. Welsch M, Deane P, Howells M, Gallachóir BÓ, Rogan F, Bazilian M, Rogner HH. Incorporating flexibility requirements into long-term energy system models—A case study on high levels of renewable electricity penetration in Ireland. *Applied Energy*. 2014 Dec 15;135:600-15
320. Bjelić IB, Rajaković N. Simulation-based optimization of sustainable national energy systems. *Energy*. 2015 Nov 1;91:1087-98
321. Mahbub MS, Cozzini M, Østergaard PA, Alberti F. Combining multi-objective evolutionary algorithms and descriptive analytical modelling in energy scenario design. *Applied Energy*. 2016 Feb 15;164:140-51
322. Tigas K, Giannakidis G, Mantzaris J, Lalas D, Sakellariadis N, Nakos C, Vougiouklakis Y, Theofilidi M, Pyrgioti E, Alexandridis AT. Wide scale penetration of renewable electricity in the Greek energy system in view of the European decarbonization targets for 2050. *Renewable and Sustainable Energy Reviews*. 2015 Feb 1;42:158-69
323. Wiernes PE, Moser A. Energy storage and DSM opportunities in the future European power system. In *2015 IEEE Eindhoven PowerTech 2015 Jun 29* (pp. 1-6). IEEE
324. Deane JP, Driscoll A, Gallachóir BÓ. Quantifying the impacts of national renewable electricity ambitions using a North-West European electricity market model. *Renewable Energy*. 2015 Aug 1;80:604-9
325. Després J, Mima S, Kitous A, Criqui P, Hadjsaid N, Noirot I. Storage as a flexibility option in power systems with high shares of variable renewable energy sources: a POLES-based analysis. *Energy Economics*. 2017 May 1;64:638-50
326. Moura G, Howells M, Legey L. Samba the open source south american model base: A brazilian perspective on long term power. *KTH-dESA Working Paper Series*. 2015
327. Yang C, Yeh S, Zakerinia S, Ramea K, McCollum D. Achieving California's 80% greenhouse gas reduction target in 2050: Technology, policy and scenario

- analysis using CA-TIMES energy economic systems model. *Energy Policy*. 2015 Feb 1;77:118-30
328. Fitiwi DZ, De Cuadra F, Olmos L, Rivier M. A new approach of clustering operational states for power network expansion planning problems dealing with RES (renewable energy source) generation operational variability and uncertainty. *Energy*. 2015 Oct 1;90:1360-76
 329. Munoz FD, Mills AD. Endogenous assessment of the capacity value of solar PV in generation investment planning studies. *IEEE Transactions on Sustainable Energy*. 2015 Aug 7;6(4):1574-85
 330. Perwez U, Sohail A, Hassan SF, Zia U. The long-term forecast of Pakistan's electricity supply and demand: An application of long range energy alternatives planning. *Energy*. 2015 Dec 15;93:2423-35
 331. Lund PD, Lindgren J, Mikkola J, Salpakari J. Review of energy system flexibility measures to enable high levels of variable renewable electricity. *Renewable and Sustainable Energy Reviews*. 2015 May 1;45:785-807
 332. Tsai MS, Chang SL. Taiwan's 2050 low carbon development roadmap: An evaluation with the MARKAL model. *Renewable and Sustainable Energy Reviews*. 2015 Sep 1;49:178-91
 333. Nowak JW, Sarkani S, Mazzuchi TA. Risk assessment for a national renewable energy target Part I: developing the model. *IEEE Systems Journal*. 2014 Jan 24;9(3):1045-56
 334. Mahumane G, Mulder P. Mozambique Energy Outlook, 2015-2030. Data, scenarios and policy implications. Data, *Scenarios and Policy Implications* (August 14, 2015). 2015 Aug 14
 335. van Stiphout A, De Vos K, Deconinck G. Operational flexibility provided by storage in generation expansion planning with high shares of renewables. In 2015 12th *International Conference on the European Energy Market (EEM)* 2015 May 19 (pp. 1-5). IEEE
 336. Belderbos A, Delarue E. Accounting for flexibility in power system planning with renewables. *International Journal of Electrical Power & Energy Systems*. 2015 Oct 1;71:33-41
 337. Wu Q, Peng C. Scenario analysis of carbon emissions of China's electric power industry up to 2030. *Energies*. 2016 Dec;9(12):988
 338. Kools L, Phillipson F. Data granularity and the optimal planning of distributed generation. *Energy*. 2016 Oct 1;112:342-52
 339. Zhang N, Hu Z, Springer C, Li Y, Shen B. A bi-level integrated generation-transmission planning model incorporating the impacts of demand response by operation simulation. *Energy Conversion and Management*. 2016 Sep 1;123:84-94
 340. Prebeg P, Gasparovic G, Krajacic G, Duic N. Long-term energy planning of Croatian power system using multi-objective optimization with focus on renewable energy and integration of electric vehicles. *Applied Energy*. 2016 Dec 15;184:1493-507
 341. Hadley SW, Baek YS. The Oak Ridge Competitive Electricity Dispatch (ORCED) Model Version 9. Oak Ridge National Lab.(ORNL), Oak Ridge, TN (United States); 2016 Nov 1
 342. Garcia-Herreros P, Zhang L, Misra P, Arslan E, Mehta S, Grossmann IE. Mixed-integer bilevel optimization for capacity planning with rational markets. *Computers & Chemical Engineering*. 2016 Mar 4;86:33-47
 343. Wisner R, Millstein D, Mai T, Macknick J, Carpenter A, Cohen S, Cole W, Frew B, Heath G. The environmental and public health benefits of achieving high penetrations of solar energy in the United States. *Energy*. 2016 Oct 15;113:472-86
 344. Buonocore JJ, Luckow P, Norris G, Spengler JD, Biewald B, Fisher J, Levy JI. Health and climate benefits of different energy-efficiency and renewable energy choices. *Nature Climate Change*. 2016 Jan;6(1):100-5.
 345. Pean E, Pirouti M, Qadrdan M. Role of the GB-France electricity interconnectors in integration of variable renewable generation. *Renewable Energy*. 2016 Dec 1;99:307-14
 346. Berrill P, Arvesen A, Scholz Y, Gils HC, Hertwich EG. Environmental impacts scenarios for Europe of high penetration renewable energy. *Environ Res Lett*. 2016;11
 347. Seljom P, Lindberg KB, Tomasgard A, Doorman G, Sartori I. The impact of Zero Energy Buildings on the Scandinavian energy system. *Energy*. 2017 Jan 1;118:284-96
 348. Nojedehi P, Heidari M, Ataei A, Nedaei M, Kurdestani E. Environmental assessment of energy production from landfill gas plants by using Long-range Energy Alternative Planning (LEAP) and IPCC methane estimation methods: A case study of Tehran. *Sustainable Energy Technologies and Assessments*. 2016 Aug 1;16:33-42
 349. Rajesh K, Karthikeyan K, Kannan S, Thangaraj C. Generation expansion planning based on solar plants with storage. *Renewable and Sustainable Energy Reviews*. 2016 May 1;57:953-64
 350. Park H, Baldick R. Multi-year stochastic generation capacity expansion planning under environmental energy policy. *Applied Energy*. 2016 Dec 1;183:737-45
 351. Go RS, Munoz FD, Watson JP. Assessing the economic value of co-optimized grid-scale energy storage investments in supporting high renewable portfolio standards. *Applied Energy*. 2016 Dec 1;183:902-13
 352. Jaskólski M. Modelling long-term technological transition of Polish power system using MARKAL: Emission trade impact. *Energy Policy*. 2016 Oct 1;97:365-77
 353. Saeed IM, Ramli AT, Saleh MA. Assessment of sustainability in energy of Iraq, and achievable opportunities in the long run. *Renewable and Sustainable Energy Reviews*. 2016 May 1;58:1207-15
 354. Kumar S. Assessment of renewables for energy security and carbon mitigation in Southeast Asia: The case of Indonesia and Thailand. *Applied Energy*. 2016 Feb 1;163:63-70
 355. Dominković DF, Baččković I, Čosić B, Krajačić G, Pukšec T, Duić N, Markovska N. Zero carbon energy system of South East Europe in 2050. *Applied Energy*. 2016 Dec 15;184:1517-28
 356. Merrick JH. On representation of temporal variability in electricity capacity planning models. *Energy Economics*. 2016 Sep 1;59:261-74
 357. Nahmmacher P, Schmid E, Hirth L, Knopf B. Carpe diem: A novel approach to select representative days for long-term power system modeling. *Energy*. 2016 Oct 1;112:430-42
 358. Ploussard Q, Olmos L, Ramos A. An operational state aggregation technique for transmission expansion planning based on line benefits. *IEEE Transactions on Power Systems*. 2016 Oct 4;32(4):2744-55
 359. Wogrin S, Galbally D, Reneses J. Optimizing storage operations in medium-and long-term power system models. *IEEE Transactions on Power Systems*. 2015 Sep 18;31(4):3129-38
 360. Santen NR, Anadon LD. Balancing solar PV deployment and RD&D: A comprehensive framework for managing innovation uncertainty in electricity

- technology investment planning. *Renewable and Sustainable Energy Reviews*. 2016 Jul 1;60:560-9
361. Wierzbowski M, Lyzwa W, Musial I. MILP model for long-term energy mix planning with consideration of power system reserves. *Applied Energy*. 2016 May 1;169:93-111
362. Taliotis C, Shivakumar A, Ramos E, Howells M, Mentis D, Sridharan V, Broad O, Mofor L. An indicative analysis of investment opportunities in the African electricity supply sector—Using TEMBA (The Electricity Model Base for Africa). *Energy for Sustainable Development*. 2016 Apr 1;31:50-66
363. Emodi, Nnaemeka Vincent, Chinenye Comfort Emodi, Girish Panchakshara Murthy, and Aadaeze Saratu Augusta Emodi. "Energy policy for low carbon development in Nigeria: A LEAP model application." *Renewable and Sustainable Energy Reviews* 68 (2017): 247-261
364. Löffler K, Hainsch K, Burandt T, Oei PY, Kemfert C, Von Hirschhausen C. Designing a model for the global energy system—GENeSYS-MOD: An application of the open-source energy modeling system (OSeMOSYS). *Energies*. 2017 Oct;10(10):1468
365. Tozzi Jr P, Jo JH. A comparative analysis of renewable energy simulation tools: Performance simulation model vs. system optimization. *Renewable and Sustainable Energy Reviews*. 2017 Dec 1;80:390-8
366. Oree V, Hassen SZ, Fleming PJ. Generation expansion planning optimisation with renewable energy integration: A review. *Renewable and Sustainable Energy Reviews*. 2017 Mar 1;69:790-803
367. Moreira A, Pozo D, Street A, Sauma E. Reliable renewable generation and transmission expansion planning: co-optimizing system's resources for meeting renewable targets. *IEEE Transactions On Power Systems*. 2016 Nov 22;32(4):3246-57
368. Emodi NV, Emodi CC, Murthy GP, Emodi AS. Energy policy for low carbon development in Nigeria: A LEAP model application. *Renewable and Sustainable Energy Reviews*. 2017 Feb 1;68:247-61
369. Härtel P, Kristiansen M, Korpås M. Assessing the impact of sampling and clustering techniques on offshore grid expansion planning. *Energy Procedia*. 2017 Oct 1;137:152-61
370. Hemmati R, Saboori H, Jirdehi MA. Stochastic planning and scheduling of energy storage systems for congestion management in electric power systems including renewable energy resources. *Energy*. 2017 Aug 15;133:380-7
371. Nerini FF, Keppo I, Strachan N. Myopic decision making in energy system decarbonisation pathways. A UK case study. *Energy Strategy Reviews*. 2017 Sep 1;17:19-26
372. deLlano-Paz F, Calvo-Silvosa A, Antelo SI, Soares I. Energy planning and modern portfolio theory: A review. *Renewable and Sustainable Energy Reviews*. 2017 Sep 1;77:636-51
373. Ioannou A, Angus A, Brennan F. Risk-based methods for sustainable energy system planning: A review. *Renewable and Sustainable Energy Reviews*. 2017 Jul 1;74:602-15
374. Moradi S, Ghaffarpour R, Ranjbar AM, Mozaffari B. Optimal integrated sizing and planning of hubs with midsize/large CHP units considering reliability of supply. *Energy Conversion and Management*. 2017 Sep 15;148:974-92
375. Dhakouani A, Gardumi F, Znouda E, Bouden C, Howells M. Long-term optimisation model of the Tunisian power system. *Energy*. 2017 Dec 15;141:550-62
376. Lumbreras S, Ramos A, Banez-Chicharro F. Optimal transmission network expansion planning in real-sized power systems with high renewable penetration. *Electric Power Systems Research*. 2017 Aug 1;149:76-88
377. Després J, Mima S, Kitous A, Criqui P, Hadsaid N, Noirot I. Storage as a flexibility option in power systems with high shares of variable renewable energy sources: a POLES-based analysis. *Energy Economics*. 2017 May 1;64:638-50
378. Saiah SB, Stambouli AB. Prospective analysis for a long-term optimal energy mix planning in Algeria: Towards high electricity generation security in 2062. *Renewable and Sustainable Energy Reviews*. 2017 Jun 1;73:26-43
379. Noorollahi E, Fadaei D, Ghodsipour SH, Shirazi MA. Developing a new optimization framework for power generation expansion planning with the inclusion of renewable energy—a case study of Iran. *Journal of Renewable and Sustainable Energy*. 2017 Jan 30;9(1):015901
380. Sharifzadeh M, Lubiano-Walochik H, Shah N. Integrated renewable electricity generation considering uncertainties: The UK roadmap to 50% power generation from wind and solar energies. *Renewable and Sustainable Energy Reviews*. 2017 May 1;72:385-98
381. Luz T, Moura P, de Almeida A. Multi-objective power generation expansion planning with high penetration of renewables. *Renewable and Sustainable Energy Reviews*. 2018 Jan 1;81:2637-43
382. Zolfaghari S, Akbari T. Bilevel transmission expansion planning using second-order cone programming considering wind investment. *Energy*. 2018 Jul 1;154:455-65
383. Matar W, Elshurafa AM. Electricity transmission formulations in multi-sector national planning models: An illustration using the KAPSARC energy model. *Energy Reports*. 2018 Nov 1;4:328-40
384. Lopion P, Markewitz P, Robinius M, Stolten D. A review of current challenges and trends in energy systems modeling. *Renewable and Sustainable Energy Reviews*. 2018 Nov 1;96:156-66
385. Kotzur L, Markewitz P, Robinius M, Stolten D. Impact of different time series aggregation methods on optimal energy system design. *Renewable Energy*. 2018 Mar 1;117:474-87
386. Lara CL, Mallapragada DS, Papageorgiou DJ, Venkatesh A, Grossmann IE. Deterministic electric power infrastructure planning: Mixed-integer programming model and nested decomposition algorithm. *European Journal of Operational Research*. 2018 Dec 16;271(3):1037-54
387. Neniškis E, Galinis A. Representation of wind power generation in economic models for long-term energy planning. *Energetika*. 2018 Jul 11;64(1)
388. Pineda S, Morales JM. Chronological time-period clustering for optimal capacity expansion planning with storage. *IEEE Transactions on Power Systems*. 2018 May 30;33(6):7162-70
389. Welder L, Ryberg DS, Kotzur L, Grube T, Robinius M, Stolten D. Spatio-temporal optimization of a future energy system for power-to-hydrogen applications in Germany. *Energy*. 2018 Sep 1;158:1130-49
390. del Granado PC, van Nieuwkoop RH, Kardakos EG, Schaffner C. Modelling the energy transition: A nexus of energy system and economic models. *Energy Strategy Reviews*. 2018 Apr 1;20:229-35
391. Prina MG, Cozzini M, Garegnani G, Manzolini G, Moser D, Oberegger UF, Permetti R, Vaccaro R, Sparber W. Multi-objective optimization algorithm coupled to EnergyPLAN software: The EPLANopt model. *Energy*. 2018 Apr 15;149:213-21
392. Wiese F, Bramstoft R, Koduvere H, Alonso AP, Balyk O, Kirkerud JG, Tveten ÅG, Bolkesjø TF, Münster M,

- Ravn H. Balmorel open source energy system model. *Energy Strategy Reviews*. 2018 Apr 1;20:26-34
393. Hilbers AP, Brayshaw DJ, Gandy A. Importance subsampling: improving power system planning under climate-based uncertainty. *Applied Energy*. 2019 Oct 1;251:113114
394. Yokoyama R, Shinano Y, Wakayama Y, Wakui T. Model reduction by time aggregation for optimal design of energy supply systems by an MILP hierarchical branch and bound method. *Energy*. 2019 Aug 15;181:782-92
395. Zatti M, Gabba M, Freschini M, Rossi M, Gambarotta A, Morini M, Martelli E. k-MILP: A novel clustering approach to select typical and extreme days for multi-energy systems design optimization. *Energy*. 2019 Aug 15;181:1051-63
396. Zhang H, Lu Z, Hu W, Wang Y, Dong L, Zhang J. Coordinated optimal operation of hydro-wind-solar integrated systems. *Applied Energy*. 2019 May 15;242:883-96
397. Ahmadi S, Fakehi AH, Vakili A, Moeini-Aghtaie M. An optimization model for the long-term energy planning based on useful energy, economic and environmental pollution reduction in residential sector: A case of Iran. *Journal of Building Engineering*. 2020 Jul 1;30:101247
398. Deveci K, Güler Ö. A CMOPSO based multi-objective optimization of renewable energy planning: Case of Turkey. *Renewable Energy*. 2020 Mar 12
399. Koltsaklis NE, Dagoumas AS. State-of-the-art generation expansion planning: A review. *Applied energy*. 2018 Nov 15;230:563-89
400. Sadeghi H, Rashidinejad M, Abdollahi A. A comprehensive sequential review study through the generation expansion planning. *Renewable and Sustainable Energy Reviews*. 2017 Jan 1;67:1369-94
401. Komiyama R, Fujii Y. Optimal integration of variable renewables in electric power systems of Japan. *Journal of Energy Engineering*. 2017 Jun 1;143(3):F4016004
402. Aryandoust A, Lilliestam J. The potential and usefulness of demand response to provide electricity system services. *Applied Energy*. 2017 Oct 15;204:749-66
403. Flores-Quiroz A, Palma-Behnke R, Zakeri G, Moreno R. A column generation approach for solving generation expansion planning problems with high renewable energy penetration. *Electric Power Systems Research*. 2016 Jul 1;136:232-41
404. Garcia-Herreros P, Zhang L, Misra P, Arslan E, Mehta S, Grossmann IE. Mixed-integer bilevel optimization for capacity planning with rational markets. *Computers & Chemical Engineering*. 2016 Mar 4;86:33-47
405. Collins S, Deane JP, Poncelet K, Panos E, Pietzcker RC, Delarue E, Gallachóir BP. Integrating short term variations of the power system into integrated energy system models: A methodological review. *Renewable and Sustainable Energy Reviews*. 2017 Sep 1;76:839-56
406. Alizadeh MI, Moghaddam MP, Amjady N, Siano P, Sheikh-El-Eslami MK. Flexibility in future power systems with high renewable penetration: A review. *Renewable and Sustainable Energy Reviews*. 2016 May 1;57:1186-93
407. Papaefthymiou G, Dragoon K. Towards 100% renewable energy systems: Uncapping power system flexibility. *Energy Policy*. 2016 May 1;92:69-82
408. Mikkola J, Lund PD. Modeling flexibility and optimal use of existing power plants with large-scale variable renewable power schemes. *Energy*. 2016 Oct 1;112:364-75
409. Palmintier BS, Webster MD. Impact of operational flexibility on electricity generation planning with renewable and carbon targets. *IEEE Transactions on Sustainable Energy*. 2015 Dec 9;7(2):672-84
410. Batalla-Bejerano J, Trujillo-Baute E. Impacts of intermittent renewable generation on electricity system costs. *Energy Policy*. 2016 Jul 1;94:411-20
411. Ji L, Huang GH, Xie YL, Niu DX, Song YH. Explicit cost-risk tradeoff for renewable portfolio standard constrained regional power system expansion: A case study of Guangdong Province, China. *Energy*. 2017 Jul 15;131:125-36
412. Lyzwa W, Wierzbowski M. Load duration curve in the long-term energy mix optimization. *In 2016 13th International Conference on the European Energy Market (EEM) 2016 Jun 6 (pp. 1-5)*. IEEE
413. Krishnan V, Cole W. Evaluating the value of high spatial resolution in national capacity expansion models using ReEDS. *In 2016 IEEE Power and Energy Society General Meeting (PESGM) 2016 Jul 17 (pp. 1-5)*. IEEE
414. Poncelet K, Höschle H, Delarue E, Virag A, D'haeseleer W. Selecting representative days for capturing the implications of integrating intermittent renewables in generation expansion planning problems. *IEEE Transactions on Power Systems*. 2016 Aug 1;32(3):1936-48
415. Pereira S, Ferreira P, Vaz AI. Generation expansion planning with high share of renewables of variable output. *Applied Energy*. 2017 Mar 15;190:1275-88
416. Lu Z, Qi J, Wen B, Li X. A dynamic model for generation expansion planning based on conditional value-at-risk theory under low-carbon economy. *Electric Power Systems Research*. 2016 Dec 1;141:363-71
417. You S, Hadley SW, Shankar M, Liu Y. Co-optimizing generation and transmission expansion with wind power in large-scale power grids—Implementation in the US Eastern Interconnection. *Electric Power Systems Research*. 2016 Apr 1;133:209-18
418. Blanchard O. On the future of macroeconomic models. *Oxford Review of Economic Policy*. 2018 Jan 5;34(1-2):43-54
419. Rasouli M, Teneketzis D. A methodology for Generation Expansion Planning for renewable energy economies. *In 2016 IEEE 55th Conference on Decision and Control (CDC) 2016 Dec 12 (pp. 1556-1563)*. IEEE
420. Strantzali E, Aravossis K. Decision making in renewable energy investments: A review. *Renewable and Sustainable Energy Reviews*. 2016 Mar 1;55:885-98
421. Fontes CH, Freires FG. Sustainable and renewable energy supply chain: A system dynamics overview. *Renewable and Sustainable Energy Reviews*. 2018 Feb 1;82:247-59
422. Gravelsins A, Bazbauers G, Blumberga A, Blumberga D, Bolwig S, Klitkou A, Lund PD. Modelling energy production flexibility: system dynamics approach. *Energy Procedia*. 2018 Aug 1;147:503-9
423. Najafi A, Falaghi H, Contreras J, Ramezani M. Medium-term energy hub management subject to electricity price and wind uncertainty. *Applied Energy*. 2016 Apr 15;168:418-33
424. Guler B, Çelebi E, Nathwani J. A 'Regional Energy Hub' for achieving a low-carbon energy transition. *Energy Policy*. 2018 Feb 1;113:376-85
425. Wang Y, Cheng J, Zhang N, Kang C. Automatic and linearized modeling of energy hub and its flexibility analysis. *Applied energy*. 2018 Feb 1;211:705-14
426. Mohammadi M, Noorollahi Y, Mohammadi-Ivatloo B, Yousefi H. Energy hub: from a model to a concept – a review. *Renewable and Sustainable Energy Reviews*. 2017 Dec 1;80:1512-27

427. Hemmati S, Ghaderi SF, Ghazizadeh MS. Sustainable energy hub design under uncertainty using Benders decomposition method. *Energy*. 2018 Jan 15;143:1029-47
428. Zhan Y, Zheng QP, Wang J, Pinson P. Generation expansion planning with large amounts of wind power via decision-dependent stochastic programming. *IEEE Transactions on Power Systems*. 2016 Nov 10;32(4):3015-26
429. Zhan Y, Zheng QP. A multistage decision-dependent stochastic bilevel programming approach for power generation investment expansion planning. *IIEE Transactions*. 2018 Aug 3;50(8):720-34
430. Resener M, Haffner S, Pereira LA, Pardalos PM. Optimization techniques applied to planning of electric power distribution systems: a bibliographic survey. *Energy Systems*. 2018 Aug 1;9(3):473-509
431. Zheng X, Wu G, Qiu Y, Zhan X, Shah N, Li N, Zhao Y. A MINLP multi-objective optimization model for operational planning of a case study CCHP system in urban China. *Applied Energy*. 2018 Jan 15;210:1126-40
432. Hemmati R, Saboori H, Siano P. Coordinated short-term scheduling and long-term expansion planning in microgrids incorporating renewable energy resources and energy storage systems. *Energy*. 2017 Sep 1;134:699-708
433. Rad HK, Moravej Z. Coordinated transmission substations and sub-transmission networks expansion planning incorporating distributed generation. *Energy*. 2017 Feb 1;120:996-1011
434. da Silva AM, Freire MR, Honório LM. Transmission expansion planning optimization by adaptive multi-operator evolutionary algorithms. *Electric Power Systems Research*. 2016 Apr 1;133:173-81
435. Rastgou A, Moshtagh J. Application of firefly algorithm for multi-stage transmission expansion planning with adequacy-security considerations in deregulated environments. *Applied Soft Computing*. 2016 Apr 1;41:373-89
436. Sisodia S, Kumar Y, Wadhvani AK. Hybrid GA and PSO Approach for Transmission Expansion Planning. *In Proceedings of the Second International Conference on Computer and Communication Technologies 2016* (pp. 311-322). Springer, New Delhi
437. Guerra OJ, Tejada DA, Reklaitis GV. An optimization framework for the integrated planning of generation and transmission expansion in interconnected power systems. *Applied Energy*. 2016 May 15;170:1-21
438. Moradi M, Abdi H, Lumberras S, Ramos A, Karimi S. Transmission Expansion Planning in the presence of wind farms with a mixed AC and DC power flow model using an Imperialist Competitive Algorithm. *Electric Power Systems Research*. 2016 Nov 1;140:493-506
439. El-Bages MS, Elsayed WT. Social spider algorithm for solving the transmission expansion planning problem. *Electric Power Systems Research*. 2017 Feb 1;143:235-43
440. Rathore C, Roy R. Impact of wind uncertainty, plug-in-electric vehicles and demand response program on transmission network expansion planning. *International Journal of Electrical Power & Energy Systems*. 2016 Feb 1;75:59-73
441. Du E, Zhang N, Kang C, Xia Q. A high-efficiency network-constrained clustered unit commitment model for power system planning studies. *IEEE Transactions on Power Systems*. 2018 Nov 15;34(4):2498-508
442. Narayan A, Ponnambalam K. Risk-averse stochastic programming approach for microgrid planning under uncertainty. *Renewable Energy*. 2017 Feb 1;101:399-408
443. Wu Z, Liu Y, Gu W, Wang Y, Chen C. Contingency-constrained robust transmission expansion planning under uncertainty. *International Journal of Electrical Power & Energy Systems*. 2018 Oct 1;101:331-8
444. Yeo IA, Lee E. Quantitative study on environment and energy information for land use planning scenarios in eco-city planning stage. *Applied Energy*. 2018 Nov 15;230:889-911
445. Lu WT, Dai C, Fu ZH, Liang ZY, Guo HC. An interval-fuzzy possibilistic programming model to optimize China energy management system with CO2 emission constraint. *Energy*. 2018 Jan 1;142:1023-39
446. Zhang XY, Huang GH, Zhu H, Li YP. A fuzzy-stochastic power system planning model: Reflection of dual objectives and dual uncertainties. *Energy*. 2017 Mar 15;123:664-76
447. Gupta RA, Gupta NK. A robust optimization based approach for microgrid operation in deregulated environment. *Energy Conversion and Management*. 2015 Mar 15;93:121-31
448. Falke T, Krengel S, Meinerzhagen AK, Schnettler A. Multi-objective optimization and simulation model for the design of distributed energy systems. *Applied Energy*. 2016 Dec 15;184:1508-16
449. Müller C, Hoffrichter A, Wyrwoll L, Schmitt C, Trageser M, Kulms T, Beulertz D, Metzger M, Duckheim M, Huber M, Küppers M. Modeling framework for planning and operation of multi-modal energy systems in the case of Germany. *Applied Energy*. 2019 Sep 15;250:1132-46
450. Ioannou A, Fuzuli G, Brennan F, Yudha SW, Angus A. Multi-stage stochastic optimization framework for power generation system planning integrating hybrid uncertainty modelling. *Energy Economics*. 2019 May 1;80:760-76
451. Saboori H, Hemmati R. Maximizing DISCO profit in active distribution networks by optimal planning of energy storage systems and distributed generators. *Renewable and Sustainable Energy Reviews*. 2017 May 1;71:365-72
452. Li Y, Feng B, Li G, Qi J, Zhao D, Mu Y. Optimal distributed generation planning in active distribution networks considering integration of energy storage. *Applied Energy*. 2018 Jan 15;210:1073-81
453. Guerra OJ, Tejada DA, Reklaitis GV. An optimization framework for the integrated planning of generation and transmission expansion in interconnected power systems. *Applied Energy*. 2016 May 15;170:1-21
454. Min D, Ryu JH, Choi DG. A long-term capacity expansion planning model for an electric power system integrating large-size renewable energy technologies. *Computers & Operations Research*. 2018 Aug 1;96:244-55
455. Mahbub MS, Viesi D, Cattani S, Crema L. An innovative multi-objective optimization approach for long-term energy planning. *Applied Energy*. 2017 Dec 15;208:1487-504
456. Khan Z, Linares P, Rutten M, Parkinson S, Johnson N, García-González J. Spatial and temporal synchronization of water and energy systems: Towards a single integrated optimization model for long-term resource planning. *Applied Energy*. 2018 Jan 15;210:499-517
457. Parkinson SC, Makowski M, Krey V, Sedraoui K, Almasoud AH, Djilali N. A multi-criteria model analysis framework for assessing integrated water-energy system transformation pathways. *Applied Energy*. 2018 Jan 15;210:477-86
458. Lv J, Li YP, Shan BG, Jin SW, Suo C. Planning energy-water nexus system under multiple uncertainties—A case study of Hebei province. *Applied Energy*. 2018 Nov 1;229:389-403

459. Saif Y, Almansoori A. A capacity expansion planning model for integrated water desalination and power supply chain problem. *Energy conversion and management*. 2016 Aug 15;122:462-76
460. Smaoui M, Krichen L. Control, energy management and performance evaluation of desalination unit based renewable energies using a graphical user interface. *Energy*. 2016 Nov 1;114:1187-206
461. Hickman W, Muzhikyan A, Farid AM. The synergistic role of renewable energy integration into the unit commitment of the energy water nexus. *Renewable Energy*. 2017 Aug 1;108:220-9
462. Tomar V, Tiwari GN. Techno-economic evaluation of grid connected PV system for households with feed in tariff and time of day tariff regulation in New Delhi—A sustainable approach. *Renewable and Sustainable Energy Reviews*. 2017 Apr 1;70:822-35
463. Yang Y, Bremner S, Menictas C, Kay M. Battery energy storage system size determination in renewable energy systems: A review. *Renewable and Sustainable Energy Reviews*. 2018 Aug 1;91:109-25
464. Khalilpour R, Vassallo A. Planning and operation scheduling of PV-battery systems: A novel methodology. *Renewable and Sustainable Energy Reviews*. 2016 Jan 1;53:194-208
465. Huang J, Boland J, Liu W, Xu C, Zang H. A decision-making tool for determination of storage capacity in grid-connected PV systems. *Renewable Energy*. 2018 Dec 1;128:299-304
466. Hassan AS, Cipcigan L, Jenkins N. Optimal battery storage operation for PV systems with tariff incentives. *Applied Energy*. 2017 Oct 1;203:422-41
467. Grover-Silva E, Girard R, Kariniotakis G. Optimal sizing and placement of distribution grid connected battery systems through an SOCP optimal power flow algorithm. *Applied Energy*. 2018 Jun 1;219:385-93
468. Ehsan A, Yang Q. Robust distribution system planning considering the uncertainties of renewable distributed generation and electricity demand. *In 2017 IEEE Conference on Energy Internet and Energy System Integration (EI2) 2017 Nov 26 (pp. 1-6)*. IEEE
469. Ehsan A, Yang Q, Cheng M. A scenario-based robust investment planning model for multi-type distributed generation under uncertainties. *IET Generation, Transmission & Distribution*. 2018 Aug 7;12(20):4426-34
470. Ehsan A, Yang Q. Coordinated investment planning of distributed multi-type stochastic generation and battery storage in active distribution networks. *IEEE Transactions on Sustainable Energy*. 2018 Oct 1;10(4):1813-22
471. Ehsan A, Yang Q. Scenario-based investment planning of isolated multi-energy microgrids considering electricity, heating and cooling demand. *Applied Energy*. 2019 Feb 1;235:1277-88
472. Hemmati R, Hooshmand RA, Taheri N. Distribution network expansion planning and DG placement in the presence of uncertainties. *International Journal of Electrical Power & Energy Systems*. 2015 Dec 1;73:665-73
473. Shivaie M, Ameli MT, Sepasian MS, Weinsier PD, Vahidinasab V. A multistage framework for reliability-based distribution expansion planning considering distributed generations by a self-adaptive global-based harmony search algorithm. *Reliability Engineering & System Safety*. 2015 Jul 1;139:68-81
474. Zhang S, Cheng H, Li K, Tai N, Wang D, Li F. Multi-objective distributed generation planning in distribution network considering correlations among uncertainties. *Applied Energy*. 2018 Sep 15;226:743-55
475. Zhang S, Cheng H, Wang D, Zhang L, Li F, Yao L. Distributed generation planning in active distribution network considering demand side management and network reconfiguration. *Applied Energy*. 2018 Oct 15;228:1921-36
476. Santos SF, Fitiwi DZ, Shafie-Khah M, Bizuayehu AW, Cabrita CM, Catalão JP. New multistage and stochastic mathematical model for maximizing RES hosting capacity—Part I: Problem formulation. *IEEE Transactions on Sustainable Energy*. 2016 Aug 5;8(1):304-19
477. Santos SF, Fitiwi DZ, Shafie-khah M, Bizuayehu AW, Cabrita CM, Catalão JP. New multi-stage and stochastic mathematical model for maximizing RES hosting capacity—Part II: Numerical results. *IEEE Transactions on Sustainable Energy*. 2016 Jun 23;8(1):320-30
478. Shen X, Shahidehpour M, Han Y, Zhu S, Zheng J. Expansion planning of active distribution networks with centralized and distributed energy storage systems. *IEEE Transactions on Sustainable Energy*. 2016 Jun 29;8(1):126-34
479. Asensio M, Muñoz-Delgado G, Contreras J. Bi-level approach to distribution network and renewable energy expansion planning considering demand response. *IEEE Transactions on Power Systems*. 2017 Feb 22;32(6):4298-309
480. Amjady N, Attarha A, Dehghan S, Conejo AJ. Adaptive robust expansion planning for a distribution network with DERs. *IEEE Transactions on Power Systems*. 2017 Aug 17;33(2):1698-715
481. Ahmadi Gorji M, Amjady N, Dehghan S. A robust model for multiyear distribution network reinforcement planning based on information-gap decision theory. *IEEE Transactions on Power Systems*. 2017 Jul 27;33(2):1339-51
482. Arias NB, Tabares A, Franco JF, Lavorato M, Romero R. Robust joint expansion planning of electrical distribution systems and EV charging stations. *IEEE Transactions on Sustainable Energy*. 2017 Oct 18;9(2):884-94
483. Haghghat H, Zeng B. Stochastic and chance-constrained conic distribution system expansion planning using bilinear benders decomposition. *IEEE Transactions on Power Systems*. 2017 Sep 12;33(3):2696-705
484. Ortiz JM, Pourakbari-Kasmaei M, López J, Mantovani JR. A stochastic mixed-integer conic programming model for distribution system expansion planning considering wind generation. *Energy Systems*. 2018 Aug 1;9(3):551-71
485. Tanwar SS, Khatod DK. Techno-economic and environmental approach for optimal placement and sizing of renewable DGs in distribution system. *Energy*. 2017 May 15;127:52-67
486. Dominguez OD, Kasmaei MP, Lavorato M, Mantovani JR. Optimal siting and sizing of renewable energy sources, storage devices, and reactive support devices to obtain a sustainable electrical distribution systems. *Energy Systems*. 2018 Aug 1;9(3):529-50
487. Tanaka I, Yuge H, Ohmori H. Formulation and evaluation of long-term allocation problem for renewable distributed generations. *IET Renewable Power Generation*. 2017 Nov 7;11(12):1584-96
488. Melgar-Dominguez OD, Pourakbari-Kasmaei M, Mantovani JR. Adaptive robust short-term planning of electrical distribution systems considering siting and sizing of renewable energy based DG units. *IEEE Transactions on Sustainable Energy*. 2018 Apr 19;10(1):158-69
489. Lipu MS, Hafiz MG, Ullah MS, Hossain A, Munia FY. Design optimization and sensitivity analysis of hybrid renewable energy systems: A case of Saint

- Martin Island in Bangladesh. *International Journal Of Renewable Energy Research*. 2017 Jun 18;7(2):988-98
490. Home-Ortiz JM, Melgar-Dominguez OD, Pourakbari-Kasmaei M, Mantovani JR. A stochastic mixed-integer convex programming model for long-term distribution system expansion planning considering greenhouse gas emission mitigation. *International Journal of Electrical Power & Energy Systems*. 2019 Jun 1;108:86-95
491. Peerapong P, Limmeechokchai B. Optimal electricity development by increasing solar resources in diesel-based micro grid of island society in Thailand. *Energy Reports*. 2017 Nov 1;3:1-3
492. Soukeyna M, Ramdhane IB, Ndiaye D, Elmamy M, Menou MM, Yahya AM, Mahmoud AK, Youm I. Feasibility analysis of hybrid electricity generation system by HOMER for Mauritanian northern coast. *International Journal of Physical Sciences*. 2018;13(8)
493. Sajed Sadati SM, Jahani E, Taylan O, Baker DK. Sizing of photovoltaic-wind-battery hybrid system for a mediterranean island community based on estimated and measured meteorological data. *Journal of Solar Energy Engineering*. 2018 Feb 1;140(1)
494. Hantoro R, Budiono C, Ketter RK, Satwika NA. Energy Demand Analysis and Design of a Hybrid Power System in Bawean Islands, Indonesia. *InMATEC Web of Conferences 2018* (Vol. 164, p. 01038). EDP Sciences
495. Qolipour M, Mostafaeipour A, Rezaei M. A mathematical model for simultaneous optimization of renewable electricity price and construction of new wind power plants (case study: Kermanshah). *International Journal of Energy and Environmental Engineering*. 2018 Mar 1;9(1):71-80
496. Dantzig GB, Connolly TJ, Paarikh SC. Stanford PILOT energy/economic model. Stanford Univ., CA (USA). Dept. of Operations Research; 1978 May 1
497. Parikh SC. Welfare equilibrium model (WEM) of energy supply, energy demand, and economic growth. Technical report SOL 79-3. Stanford Univ., CA (USA). *Systems Optimization Lab.*; 1979 Mar 1
498. Shane RM, Gilbert KC. TVA hydro scheduling model: Practical aspects. *J. Water Resour. Plann. Manage. Div., Proc. Am. Soc. Civ. Eng.*; (United States). 1982 Mar 1;108
499. Chao HP, Peck SC, Wan YH. LOAD: An electric technology R&D planning model with contingent decisions. *Resources and Energy*. 1985 Jun 1;7(2):163-7

Biographical notes

Biographical notes were not provided by the authors.